



**Table 9.27**  
**2008 - 2004**  
**Beds by Department 2004 - 2008**

<i>Department</i>	<i>2008</i>	<i>2007</i>	<i>2006</i>	<i>2005</i>	<i>2004</i>
Psychiatric	82	63	63	63	63
Child and Adolescent	12	12	12	12	12
Drug and Alcohol	29	26	26	16	16
Psycho-Geriatric	30	31	31	31	31
Mental Retardation	40	43	43	43	43
Long Term Rehabilitation	33	39	39	39	39
<b>Total</b>	<b>226</b>	<b>214</b>	<b>214</b>	<b>204</b>	<b>204</b>

**Table 9.28**  
**2008**  
**Bed Utilization 2008**

<i>Grand Total</i>	<sup>1</sup> <i>Long Term Rehabilitation</i>	<i>Total</i>	<i>Mental Retardation</i>	<i>Psycho-Geriatric</i>	<i>Drug &amp; Alcohol</i>	<i>Child &amp; Adolescent</i>	<i>Psychiatric</i>	<i>Description</i>
1,116	-	1,116	51	56	202	97	710	Total admissions
1,102	-	1,102	39	102	247	91	623	Total discharges
226	33	193	40	30	29	12	82	No. of beds
82,716	12,078	70,638	14,640	10,980	10,614	4,392	30,012	Bed days available
86,527	1,830	84,697	17,333	15,093	12,094	3,821	36,356	<sup>2</sup> Patient-days overnight <sup>2</sup>
9	-	9	1	-	1	1	6	<sup>2</sup> > Patient days < 1 day <sup>2</sup>
86,536	1,830	84,706	17,334	15,093	12,095	3,822	36,362	<sup>2</sup> Total Patient days <sup>2</sup>
104.6	15.2	119.9	118.4	137.5	114.0	87.0	121.2	Bed occupancy rate
4.9	-	5.7	1.0	3.4	8.5	7.6	7.6	Turnover rate
-3.5	-	-12.8	-69.1	-40.3	-6.0	6.3	-10.2	<sup>3</sup> Turnover interval <sup>3</sup>
3.0	-	3.0	0.1	0.2	0.6	0.3	1.9	Average daily admission
3.0	-	3.0	0.1	0.3	0.7	0.2	1.7	Average daily discharge
79	-	76.9	444	148	49	42	58	Average length of stay

1) Long Term Rehabilitation: No. of patients were 11 in 2008, no new admission or discharge took place in this unit, and the remaining beds utilised for other services.

2008 11

(1)

2) Patient Days counted for the period from day of admission till discharge date and not by the daily census .

(2)


3) Turnover Interval: Negative sign indicate that the concerned department is utilising more beds than allocated .

(3)

**Table 9.29 جدول**  
**الدخول والخروج حسب القسم والنوع وأيام الأسبوع 2008**  
**Admissions and Discharges by Department, Sex and Days of the Week 2008**

<i>Total</i>		<i>Fri</i>		<i>Thurs</i>		<i>Wed</i>		<i>Tues</i>		<i>Mon</i>		<i>Sun</i>		<i>Sat</i>		<i>Sex</i>	<i>Department</i>	
<i>Disch.</i>	<i>Adm.</i>																	
369	426	9	34	53	76	77	69	54	76	89	68	79	68	8	35	Male	Psychiatric	
254	284	9	28	88	50	47	51	23	37	31	47	51	49	5	22	Female		
64	65	-	-	35	5	11	4	8	14	4	21	6	21	-	-	Male	Child & Adolescent	
27	32	1	2	11	1	4	1	3	6	2	5	6	17	-	-	Female		
214	196	20	3	38	30	27	35	29	57	47	25	38	45	15	1	Male	Drug & Alcohol	
33	6	-	-	3	-	13	1	-	1	5	1	8	3	4	-	Female		
64	30	1	2	4	2	5	4	6	10	41	3	5	7	2	2	Male	Psychogeriatric	
38	26	2	2	19	8	4	6	2	1	7	5	4	4	-	-	Female		
23	30	-	1	3	5	5	7	3	5	7	4	3	7	2	1	Male	Mental Retardation	
16	21	-	2	2	6	5	2	4	6	3	2	2	1	-	2	Female		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Male	Long Term Rehabilitation
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Female	
734	747	30	40	133	118	125	119	100	162	188	121	131	148	27	39	Male	Total	
368	369	12	34	123	65	73	61	32	51	48	60	71	74	9	24	Female		
1,102	1,116	42	74	256	183	198	180	132	213	236	181	202	222	36	63	Total		

**Figure 9.7**  
**2008**  
**Admissions and Discharges By Days of the Week 2008**



Reference: Table 9.29

9.29 :

**Table 9.30**  
**2008** ( )  
**Discharges (Alive and Dead) by Age Groups, Nationality and Sex 2008**

<i>Total</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>				( )
<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>		<i>Age Groups (Years)</i>
-	-	-	-	-	-	-	-	-	Alive	< 1 Year
-	-	-	-	-	-	-	-	-	Dead	
65	14	51	3	-	3	62	14	48	Alive	1-9
-	-	-	-	-	-	-	-	-	Dead	
73	34	39	8	4	4	65	30	35	Alive	10 - 19
-	-	-	-	-	-	-	-	-	Dead	
307	110	197	107	64	43	200	46	154	Alive	20 - 29
-	-	-	-	-	-	-	-	-	Dead	
272	76	196	68	34	34	204	42	162	Alive	30 - 39
-	-	-	-	-	-	-	-	-	Dead	
210	75	135	28	14	14	182	61	121	Alive	40 - 49
-	-	-	-	-	-	-	-	-	Dead	
113	35	78	5	3	2	108	32	76	Alive	50 - 59
1	1	-	-	-	-	1	1	-	Dead	
39	14	25	4	2	2	35	12	23	Alive	60 - 69
-	-	-	-	-	-	-	-	-	Dead	
22	9	13	1	-	1	21	9	12	Alive	70 +
-	-	-	-	-	-	-	-	-	Dead	
1,101	367	734	224	121	103	877	246	631	Alive	Total
1	1	-	-	-	-	1	1	-	Dead	
1,102	368	734	224	121	103	878	247	631	Total	

جدول 9.31  
2008 ( )  
Discharges (Alive and Dead) by Geographical Region, Nationality and Sex 2008

Total						Dead						Alive						Region
Dead			Alive			Non-Bahraini			Bahraini			Non-Bahraini			Bahraini			
Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	
-	-	-	12	2	10	-	-	-	-	-	-	2	1	1	10	1	9	Hidd
1	1	-	159	53	106	-	-	-	1	1	-	25	18	7	134	35	99	Muharraaq
-	-	-	240	84	156	-	-	-	-	-	-	98	46	52	142	38	104	Manama
-	-	-	113	41	72	-	-	-	-	-	-	11	8	3	102	33	69	Jidhafs
-	-	-	80	24	56	-	-	-	-	-	-	8	4	4	72	20	52	Northern
-	-	-	79	25	54	-	-	-	-	-	-	17	6	11	62	19	43	Sitra
-	-	-	80	35	45	-	-	-	-	-	-	17	11	6	63	24	39	Central
-	-	-	102	24	78	-	-	-	-	-	-	5	5	-	97	19	78	Isa Town
-	-	-	105	26	79	-	-	-	-	-	-	27	14	13	78	12	66	Riffa
-	-	-	34	14	20	-	-	-	-	-	-	4	4	-	30	10	20	Western
-	-	-	2	-	2	-	-	-	-	-	-	2	-	2	-	-	-	Southern
-	-	-	91	38	53	-	-	-	-	-	-	4	3	1	87	35	52	Hamad Town
-	-	-	4	1	3	-	-	-	-	-	-	4	1	3	-	-	-	Undetermined
1	1	-	1,101	367	734	-	-	-	1	1	-	224	121	103	877	246	631	Total

Percent Distribution ( % )

( % )

-	-	-	1.1	0.5	1.4	-	-	-	-	-	-	0.9	0.8	1.0	1.1	0.4	1.4	Hidd
100.0	100.0	-	14.4	14.4	14.4	-	-	-	100.0	100.0	-	11.2	14.9	6.8	15.3	14.2	15.7	Muharraaq
-	-	-	21.8	22.9	21.3	-	-	-	-	-	-	43.8	38.0	50.5	16.2	15.4	16.5	Manama
-	-	-	10.3	11.2	9.8	-	-	-	-	-	-	4.9	6.6	2.9	11.6	13.4	10.9	Jidhafs
-	-	-	7.3	6.5	7.6	-	-	-	-	-	-	3.6	3.3	3.9	8.2	8.1	8.2	Northern
-	-	-	7.2	6.8	7.4	-	-	-	-	-	-	7.6	5.0	10.7	7.1	7.7	6.8	Sitra
-	-	-	7.3	9.5	6.1	-	-	-	-	-	-	7.6	9.1	5.8	7.2	9.8	6.2	Central
-	-	-	9.3	6.5	10.6	-	-	-	-	-	-	2.2	4.1	-	11.1	7.7	12.4	Isa Town
-	-	-	9.5	7.1	10.8	-	-	-	-	-	-	12.1	11.6	12.6	8.9	4.9	10.5	Riffa
-	-	-	3.1	3.8	2.7	-	-	-	-	-	-	1.8	3.3	-	3.4	4.1	3.2	Western
-	-	-	0.2	-	0.3	-	-	-	-	-	-	0.9	-	1.9	-	-	-	Southern
-	-	-	8.3	10.4	7.2	-	-	-	-	-	-	1.8	2.5	1.0	9.9	14.2	8.2	Hamad Town
-	-	-	0.4	0.3	0.4	-	-	-	-	-	-	1.8	0.8	2.9	-	-	-	Undetermined

جدول 9.32  
2008 ( )  
Discharges (Alive and Dead) by Marital Status, Nationality and Sex 2008

<i>Total</i>						<i>Dead</i>						<i>Alive</i>						<i>Marital Status</i>
<i>Dead</i>			<i>Alive</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>			
<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	
1	1	-	832	248	584	-	-	-	1	1	-	201	106	95	631	142	489	Single
-	-	-	245	104	141	-	-	-	-	-	-	21	13	8	224	91	133	Married
-	-	-	9	8	1	-	-	-	-	-	-	1	1	0	8	7	1	Widowed
-	-	-	15	7	8	-	-	-	-	-	-	1	1	0.0	14	6	8	Divorced
1	1	-	1,101	367	734	-	-	-	1	1	-	224	121	103	877	246	631	Total

Percent Distribution ( % )

( % )

100.0	100.0	-	75.6	67.6	79.6	-	-	-	100.0	100.0	-	89.7	87.6	92.2	71.9	57.7	77.5	Single
-	-	-	22.3	28.3	19.2	-	-	-	-	-	-	9.4	10.7	7.8	25.5	37.0	21.1	Married
-	-	-	0.8	2.2	0.1	-	-	-	-	-	-	0.4	0.8	-	0.9	2.8	0.2	Widowed
-	-	-	1.4	1.9	1.1	-	-	-	-	-	-	0.4	0.8	-	1.6	2.4	1.3	Divorced

جدول 9.33  
2008 ( )  
Discharges (Alive and Dead) by Nationality and Sex 2008

Nationality	Total			Dead			Alive		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
Bahraini	878	247	631	1	1	-	877	246	631
Indian	48	13	35	-	-	-	48	13	35
Pakistani	11	3	8	-	-	-	11	3	8
Other Arab	21	8	13	-	-	-	21	8	13
Bangladeshi	14	2	12	-	-	-	14	2	12
Philipino	6	5	1	-	-	-	6	5	1
Saudi Arabian	16	7	9	-	-	-	16	7	9
Iranian	7	2	5	-	-	-	7	2	5
Srilankan	9	8	1	-	-	-	9	8	1
Other Countries of Gulf Co-operation Council	7	-	7	-	-	-	7	-	7
European	4	2	2	-	-	-	4	2	2
Other Asians	21	19	2	-	-	-	21	19	2
African (non Arab)	53	51	2	-	-	-	53	51	2
American	7	1	6	-	-	-	7	1	6
<b>Total</b>	<b>1,102</b>	<b>368</b>	<b>734</b>	<b>1</b>	<b>1</b>	<b>-</b>	<b>1,101</b>	<b>367</b>	<b>734</b>

Percent Distribution ( % )

( % )

Bahraini	79.7	67.1	86.0	100.0	100.0	-	79.7	67.0	86.0
Indian	4.4	3.5	4.8	-	-	-	4.4	3.5	4.8
Pakistani	1.0	0.8	1.1	-	-	-	1.0	0.8	1.1
Other Arab	1.9	2.2	1.8	-	-	-	1.9	2.2	1.8
Bangladeshi	1.3	0.5	1.6	-	-	-	1.3	0.5	1.6
Philipino	0.5	1.4	0.1	-	-	-	0.5	1.4	0.1
Saudi Arabian	1.5	1.9	1.2	-	-	-	1.5	1.9	1.2
Iranian	0.6	0.5	0.7	-	-	-	0.6	0.5	0.7
Srilankan	0.8	2.2	0.1	-	-	-	0.8	2.2	0.1
Other Countries of Gulf Co-operation Council	0.6	-	1.0	-	-	-	0.6	-	1.0
European	0.4	0.5	0.3	-	-	-	0.4	0.5	0.3
Other Asians	1.9	5.2	0.3	-	-	-	1.9	5.2	0.3
African (non Arab)	4.8	13.9	0.3	-	-	-	4.8	13.9	0.3
American	0.6	0.3	0.8	-	-	-	0.6	0.3	0.8

جدول 9.34 Table 9.34

2008

Discharges by Discharged Status, Department and Nationality 2008

<i>Total</i>	<i>Long Term Rehabilitation</i>	<i>Mental Retardation</i>	<i>Psycho- Geriatric</i>	<i>Drug &amp; Alcohol</i>	<i>Child &amp; Adolescent</i>	<i>Psychiatric</i>	<i>Nationality</i>	<i>Discharged Status</i>
766	-	37	83	163	85	398	Bah	Routine discharge home
212	-	-	13	24	4	171	Non Bah	
101	-	1	5	57	2	36	Bah	Left against medical advice
12	-	-	1	3	-	8	Non Bah	
-	-	-	-	-	-	-	Bah	48
-	-	-	-	-	-	-	Non Bah	Died before 48 hours
1	-	-	-	-	-	1	Bah	48
-	-	-	-	-	-	-	Non Bah	Died after 48 hours
10	-	1	-	-	-	9	Bah	Transferred to other hospitals
-	-	-	-	-	-	-	Non Bah	
878	-	39	88	220	87	444	Bah	Total
224	-	-	14	27	4	179	Non-Bah	
1,102	-	39	102	247	91	623	Total	

**2008**  
**Table 9.35**  
**Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2008**

<i>Male</i>						<i>Female</i>						<i>Grand Total</i>	<i>DISCH. DOC ALS</i>	<i>Principal Diagnosis</i>	<i>ICD10 Code</i>
<i>Age Groups</i>						<i>Age Groups</i>									
<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i>&lt;1 yrs</i>	<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i>&lt;1 yrs</i>				
172	7	53	109	3	-	110	2	23	84	1	-	282	Disch	Schizophrenia	F20
9,089	788	4,485	3,670	146	-	5,165	78	668	4,416	3	-	14,254	Doc		
52.8	112.6	84.6	33.7	48.7	-	47.0	39.0	29.0	52.6	3.0	-	50.5	Als		
172	-	40	132	-	-	1	-	1	-	-	-	173	Disch	Mental and behavioural disorders due to use of opioids	F11
9,544	-	2,398	7,146	-	-	1	-	1	-	-	-	9,545	Doc		
55.5	-	60.0	54.1	-	-	1.0	-	1.0	-	-	-	55.2	Als		
71	1	9	57	4	-	68	3	3	62	-	-	139	Disch	Acute and transient psychotic disorders	F23
1,495	36	232	1,013	214	-	1,621	309	117	1,195	-	-	3,116	Doc		
21.1	36.0	25.8	17.8	53.5	-	23.8	103.0	39.0	19.3	-	-	22.4	Als		
68	1	23	41	3	-	56	6	14	36	-	-	124	Disch	( ) Bipolar affective disorder	F31
2,262	10	700	1,461	91	-	1,665	225	439	1,001	-	-	3,927	Doc		
33.3	10.0	30.4	35.6	30.3	-	29.7	37.5	31.4	27.8	-	-	31.7	Als		
41	7	3	30	1	-	31	2	11	17	1	-	72	Disch	( ) Recurrent depressive disorder	F33
5,400	326	3,752	1,314	8	-	611	28	263	314	6	-	6,011	Doc		
131.7	46.6	1250.7	43.8	8.0	-	19.7	14.0	23.9	18.5	6.0	-	83.5	Als		
39	-	2	35	2	-	23	1	3	16	3	-	62	Disch	( ) ( ) Mild mental retardation	F70
19,155	-	115	12,412	6,628	-	2,270	2	75	2,143	50	-	21,425	Doc		
491.2	-	57.5	354.6	3314.0	-	98.7	2.0	25.0	133.9	16.7	-	345.6	Als		
27	-	9	15	3	-	11	-	1	9	1	-	38	Disch	Depressive episode	F32
930	-	149	654	127	-	347	-	48	284	15	-	1,277	Doc		
34.4	-	16.6	43.6	42.3	-	31.5	-	48.0	31.6	15.0	-	33.6	Als		
27	-	2	25	-	-	5	-	1	4	-	-	32	Disch	Reaction to severe stress, and adjustment disorders	F43
442	-	30	412	-	-	50	-	15	35	-	-	492	Doc		
16.4	-	15.0	16.5	-	-	10.0	-	15.0	8.8	-	-	15.4	Als		
17	-	-	2	15	-	13	-	-	2	11	-	30	Disch	( ) Specific developmental disorders of scholastic skills	F81
1,917	-	-	352	1,565	-	388	-	-	17	371	-	2,305	Doc		
112.8	-	-	176.0	104.3	-	29.8	-	-	8.5	33.7	-	76.8	Als		

(Cont'd) Table 9.35 ( )

2008  
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2008

Male						Female						Grand Total	DISCH. DOC ALS	Principal Diagnosis	ICD10 Code
Age Groups						Age Groups									
Total	65+	45-64	15-44	1-14	<1 yrs	Total	65+	45-64	15-44	1-14	<1 yrs				
12	-	2	10	-	-	12	-	6	6	-	-	24	Disch	-	F30
295	-	62	233	-	-	294	-	195	99	-	-	589	Doc	Manic episode	
24.6	-	31.0	23.3	-	-	24.5	-	32.5	16.5	-	-	24.5	Als		
15	-	2	13	-	-	-	-	-	-	-	-	15	Disch		F12
816	-	150	666	-	-	-	-	-	-	-	-	816	Doc	Mental and behavioural disorders due to use of cannabinoids	
54.4	-	75.0	51.2	-	-	-	-	-	-	-	-	54.4	Als		
6	-	1	4	1	-	5	-	-	4	1	-	11	Disch	( )	F40
416	-	50	285	81	-	164	-	-	148	16	-	580	Doc	Phobic anxiety disorders	
69.3	-	50.0	71.3	81.0	-	32.8	-	-	37.0	16.0	-	52.7	Als		
6	-	1	5	-	-	5	-	2	3	-	-	11	Disch		F60
117	-	10	107	-	-	1,769	-	1,667	102	-	-	1,886	Doc	Specific personality disorders	
19.5	-	10.0	21.4	-	-	353.8	-	833.5	34.0	-	-	171.5	Als		
7	-	-	-	7	-	4	-	-	-	4	-	11	Disch	( )	F80
60	-	-	-	60	-	82	-	-	-	82	-	142	Doc	Specific developmental disorders of speech and language	
8.6	-	-	-	8.6	-	20.5	-	-	-	20.5	-	12.9	Als		
7	6	1	-	-	-	3	2	1	-	-	-	10	Disch	( )	F00
1,526	1,471	55	-	-	-	17	8	9	-	-	-	1,543	Doc	Dementia in Alzheimer's disease	
218.0	245.2	55.0	-	-	-	5.7	4.0	9.0	-	-	-	154.3	Als		
9	-	-	-	9	-	-	-	-	-	-	-	9	Disch		F91
283	-	-	-	283	-	-	-	-	-	-	-	283	Doc	Conduct disorders	
31.4	-	-	-	31.4	-	-	-	-	-	-	-	31.4	Als		
5	-	-	5	-	-	4	-	1	3	-	-	9	Disch		T39
39	-	-	39	-	-	42	-	27	15	-	-	81	Doc	Poisoning by nonopioid analgesics, antipyretics and antirheumatics	
7.8	-	-	7.8	-	-	10.5	-	27.0	5.0	-	-	9.0	Als		
6	-	-	-	6	-	1	-	-	-	1	-	7	Disch	( )	F90
269	-	-	-	269	-	31	-	-	-	31	-	300	Doc	Hyperkinetic disorders	
44.8	-	-	-	44.8	-	31.0	-	-	-	31.0	-	42.9	Als		

(Cont'd) Table 9.35 ( )

2008  
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2008


Male						Female						Grand Total	DISCH. DOC ALS	Principal Diagnosis	ICD10 Code
Age Groups						Age Groups									
Total	65+	45-64	15-44	1-14	<1 yrs	Total	65+	45-64	15-44	1-14	<1 yrs				
5	-	1	4	-	-	1	-	-	1	-	-	6	Disch		F10
173	-	91	82	-	-	1	-	-	1	-	-	174	Doc	Mental and behavioural disorders due to use of alcohol	
34.6	-	91.0	20.5	-	-	1.0	-	-	1	-	-	29.0	Als		
3	-	-	3	-	-	2	1	-	1	-	-	5	Disch	( )	F22
91	-	-	91	-	-	42	25	-	17	-	-	133	Doc	Persistent delusional disorders	
30.3	-	-	30.3	-	-	21.0	25.0	-	17.0	-	-	26.6	Als		
1	-	-	1	-	-	4	-	1	3	-	-	5	Disch	( )	F25
48	-	-	48	-	-	135	-	25	110	-	-	183	Doc	Schizoaffective disorders	
48.0	-	-	48.0	-	-	33.8	-	25.0	36.7	-	-	36.6	Als		
4	-	-	-	4	-	-	-	-	-	-	-	4	Disch	( )	F93
276	-	-	-	276	-	-	-	-	-	-	-	276	Doc	Emotional disorders with onset specific to childhood	
69.0	-	-	-	69.0	-	-	-	-	-	-	-	69.0	Als		
2	2	-	-	-	-	1	-	1	-	-	-	3	Disch	( )	F01
637	637	-	-	-	-	1	-	1	-	-	-	638	Doc	Vascular dementia	
318.5	318.5	-	-	-	-	1.0	-	1.0	-	-	-	212.7	Als		
2	-	-	1	1	-	1	-	-	1	-	-	3	Disch		F07
31	-	-	15	16	-	5	-	-	5	-	-	36	Doc	Personality and behavioural disorders due to brain disease, damage and dysfunction	
15.5	-	-	15.0	16.0	-	5.0	-	-	5.0	-	-	12.0	Als		
2	-	-	2	-	-	1	-	-	1	-	-	3	Disch	( )	F42
33	-	-	33	-	-	12	-	-	12	-	-	45	Doc	Obsessive-compulsive disorder	
16.5	-	-	16.5	-	-	12.0	-	-	12.0	-	-	15.0	Als		
1	-	-	1	-	-	2	-	-	2	-	-	3	Disch		F44
12	-	-	12	-	-	54	-	-	54	-	-	66	Doc	Dissociative [conversion] disorders	
12.0	-	-	12.0	-	-	27.0	-	-	27.0	-	-	22.0	Als		
2	-	-	-	2	-	1	-	-	-	1	-	3	Disch		F84
81	-	-	-	81	-	184	-	-	-	184	-	265	Doc	Pervasive developmental disorders	
40.5	-	-	-	40.5	-	184.0	-	-	-	184.0	-	88.3	Als		

(Cont'd) Table 9.35 ( )

2008  
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2008

Male						Female						Grand Total	DISCH. DOC ALS	Principal Diagnosis	ICD10 Code
Age Groups						Age Groups									
Total	65+	45-64	15-44	1-14	<1 yrs	Total	65+	45-64	15-44	1-14	<1 yrs				
1	-	-	-	1	-	1	-	-	-	1	-	2	Disch		F72
14	-	-	-	14	-	53	-	-	-	53	-	67	Doc	Severe mental retardation	
14.0	-	-	-	14.0	-	53.0	-	-	-	53.0	-	33.5	Als		
-	-	-	-	-	-	1	-	1	-	-	-	1	Disch		F14
-	-	-	-	-	-	1	-	1	-	-	-	1	Doc	Mental and behavioural disorders due to use of cocaine	
-	-	-	-	-	-	1.0	-	1	-	-	-	1.0	Als		
-	-	-	-	-	-	1	-	-	1	-	-	1	Disch		F41
-	-	-	-	-	-	41	-	-	41	-	-	41	Doc	Other anxiety disorders	
-	-	-	-	-	-	41.0	-	-	41	-	-	41.0	Als		
1	-	-	1	-	-	-	-	-	-	-	-	1	Disch		F55
36	-	-	36	-	-	-	-	-	-	-	-	36	Doc	Abuse of non-dependence-producing substances	
36.0	-	-	36	-	-	-	-	-	-	-	-	36.0	Als		
1	-	-	-	1	-	-	-	-	-	-	-	1	Disch		F83
32	-	-	-	32	-	-	-	-	-	-	-	32	Doc	Mixed specific developmental disorders	
32.0	-	-	-	32	-	-	-	-	-	-	-	32.0	Als		
1	-	-	1	-	-	-	-	-	-	-	-	1	Disch	( )	F92
49	-	-	49	-	-	-	-	-	-	-	-	49	Doc	Mixed disorders of conduct and emotions	
49.0	-	-	49.0	-	-	-	-	-	-	-	-	49.0	Als		
1	-	-	1	-	-	-	-	-	-	-	-	1	Disch		I39
8	-	-	8	-	-	-	-	-	-	-	-	8	Doc		
8.0	-	-	8	-	-	-	-	-	-	-	-	8.0	Als	Endocarditis and heart valve disorders in diseases classified elsewhere	
734	24	149	498	63	-	368	17	70	256	25	-	1,102	DISCH		
55,576	3,268	12,279	30,138	9,891	-	15,046	675	3,551	10,009	811	-	70,622	DOC	Total	
75.7	136	82	61	157	-	40.9	40	51	39	32	-	64.1	ALS		

Figure 9.8 رسم بياني  
 الخروج حسب أعلى عشرة تشخيصات رئيسية 2008  
 Discharges by The Ten Leading Diagnosis 2008



Reference: Table 9.35

مرجع: جدول 9.35

**Table 9.36**  
**2008**  
**Out-Patient Visits by Clinic, Nationality and Sex 2008**

<i>Clinic</i>	<i>Total</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>		
	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>
Emergency	31	17	14	5	2	3	26	15	11
Drug & Alcohol	8,308	40	8,268	439	16	423	7,869	24	7,845
Anxiety	1,565	1,088	477	93	67	26	1,472	1,021	451
Child and Adolescent	2,015	751	1,264	187	44	143	1,828	707	1,121
Community	5,836	3,037	2,799	124	114	10	5,712	2,923	2,789
Day Case	1,434	414	1,020	24	9	15	1,410	405	1,005
Geriatric	1,552	969	583	70	40	30	1,482	929	553
Liason	1,216	680	536	218	142	76	998	538	460
Mental Retardation	1,158	524	634	61	28	33	1,097	496	601
General	15,483	7,346	8,137	1,390	818	572	14,093	6,528	7,565
Forensic - Psychiatric	1,081	125	956	132	29	103	949	96	853
<b>Total</b>	<b>39,679</b>	<b>14,991</b>	<b>24,688</b>	<b>2,743</b>	<b>1,309</b>	<b>1,434</b>	<b>36,936</b>	<b>13,682</b>	<b>23,254</b>