

Contents

| | |
|---|---------------------|
| Beds by Department and Specialty 2001 – 2005 | Table 9.1, page 3 |
| Bed Utilization 2005 | Table 9.2, page 4 |
| Bed Utilization by Department 2001 - 2005 | Table 9.3, page 6 |
| Re-Admissions 2005 | Table 9.4, page 10 |
| Admissions and Discharges by Department and Days of the Week 2005 | Table 9.5, page 11 |
| Admissions and Discharges by Days of the Week 2005 | Figure 9.1, page 12 |
| Discharges (Alive and Dead) by Age Groups, Nationality and Sex 2005 | Table 9.6, page 13 |
| Discharges (Alive and Dead) by Age and Nationality 2005 | Figure 9.2, page 14 |
| Discharges (Alive and Dead) by Geographical Region 2005 | Table 9.7, page 15 |
| Discharges (Alive and Dead) by Source of Admission 2005 | Table 9.8, page 16 |
| Discharges (Alive and Dead) by Source of Admission 2005 | Figure 9.3, page 17 |
| Discharges (Alive and Dead) by Marital Status 2005 | Table 9.9, page 18 |
| Discharges (Alive and Dead) by Nationality 2005 | Table 9.10, page 19 |
| Discharges (Alive and Dead) by Diagnosis, Nationality and Sex 2005 | Table 9.11, page 20 |
| Discharges (Alive and Dead) by Diagnosis and Age Groups 2005 | Table 9.12, page 22 |
| Discharges by Discharge Status, Nationality and Department 2005 | Table 9.13, page 24 |
| Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005 | Table 9.14, page 25 |
| Discharges by The Ten Leading Diagnosis 2005 | Figure 9.4, page 40 |
| Discharges by Operation Days and Department 2005 | Table 9.15, page 41 |
| Number of Anaesthesia Cases at Ministry of Health by Type of Anaesthesia 2001 - 2005 | Table 9.16, page 42 |
| Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005 | Table 9.17, page 43 |
| Deaths by Cause of Death 2005 | Figure 9.5, page 56 |
| Out-Patient Visits by Department 2001 - 2005 | Table 9.18, page 57 |
| Out-Patient Visits by Department 2005 | Figure 9.6, page 58 |
| Laboratory Tests by Source of Specimen 2005 | Table 9.19, page 59 |
| Radiology Procedures 2005 | Table 9.20, page 60 |
| Discharges from Special Care Baby Unit by Month and Sex 2005 | Table 9.21, page 62 |
| Discharges from Special Care Baby Unit by Geographical Region 2005 | Table 9.22, page 63 |
| Surgical Operations and Procedures at Main Operation Theatre by Specialty 2001 - 2005 | Table 9.23, page 64 |
| Endoscopies Procedures 2001 - 2005 | Table 9.24, page 65 |

المحتويات

| | |
|--|-------------|
| عدد الأسرة حسب القسم و التخصص 2001 - 2005 | 2005 - 2001 |
| قياس استخدام الأسرة 2005 | 2005 |
| قياس استخدام الأسرة حسب القسم 2001 - 2005 | 2005 - 2001 |
| عدد مرات إدخال المرضى 2005 | 2005 |
| الدخول و الخروج حسب القسم العلاجي وأيام الأسبوع 2005 | 2005 |
| الدخول و الخروج حسب أيام الأسبوع 2005 | 2005 |
| الخروج (أحياء وأموات) حسب فئات العمر و الجنسية و النوع 2005 | 2005 |
| الخروج (أحياء وأموات) حسب فئات العمر و الجنسية 2005 | 2005 |
| الخروج (أحياء وأموات) حسب المنطقة الجغرافية 2005 | 2005 |
| الخروج (أحياء وأموات) حسب مصدر الدخول 2005 | 2005 |
| الخروج (أحياء وأموات) حسب مصدر الدخول 2005 | 2005 |
| الخروج (أحياء وأموات) حسب الحالة الاجتماعية 2005 | 2005 |
| الخروج (أحياء وأموات) حسب الجنسية 2005 | 2005 |
| الخروج (أحياء وأموات) حسب التشخيص الرئيسي و الجنسية و النوع 2005 | 2005 |
| الخروج (أحياء وأموات) حسب التشخيص وفئات العمر 2005 | 2005 |
| الخروج حسب حالة الخروج و الجنسية و القسم العلاجي 2005 | 2005 |
| الخروج وأيام الرعاية و متوسط مدة الإقامة حسب التشخيص الرئيسي و النوع وفئات العمر 2005 | 2005 |
| الخروج حسب أعلى عشرة تشخيصات رئيسية 2005 | 2005 |
| الخروج حسب الأيام (قبل وبعد) العملية و القسم العلاجي 2005 | 2005 |
| عدد حالات التخدير في وزارة الصحة حسب نوع التخدير 2001 - 2005 | 2005 - 2001 |
| الوفيات حسب سبب الوفاة و مدة الإقامة و الجنسية و النوع 2005 | 2005 |
| الوفيات حسب سبب الوفاة 2005 | 2005 |
| زيارات العيادات الخارجية حسب القسم 2001 - 2005 | 2005 - 2001 |
| زيارات العيادات الخارجية حسب القسم 2005 | 2005 |
| عدد التحاليل المختبرية حسب مصدر العينة 2005 | 2005 |
| إجراءات قسم الأشعة 2005 | 2005 |
| الخروج من وحدة العناية الخاصة بالمواليد حسب الشهر و النوع 2005 | 2005 |
| الخروج من وحدة العناية الخاصة بالمواليد حسب المنطقة الجغرافية 2005 | 2005 |
| العمليات الجراحية والإجراءات التي تمت في غرفة العمليات الرئيسية حسب التخصص 2001 - 2005 | 2005 - 2001 |
| إجراءات المناظير 2001 - 2005 | 2005 - 2001 |

Conventions

الإصطلاحات

| | | | |
|---|------|-------|---------|
| Table 9.1 | | | 9.1 |
| Beds were distributed according to the departmental need. | | | |
| Obstetrics include 20 beds in Labor and Delivery Ward. | | | 20 |
| Totals excluding Special Care Baby Unit. | | | |
| Short Stay Beds (Ward 62) re-opened in 2001 under Others. | | .2001 | 62 |
| Ward 12 was used as decanter in 2001 because of renovation of SMC wards. | | | 2001 12 |
| New departments opened such as Neurosciences, Nephrology, Oncology and Paediatrics Intensive Care Unit (ICU) in 2005. | 2005 | | |
| Table 9.18 | | | 9.18 |
| Accidents & Emergency clinic and Triage room data were merged under Accidents & Emergency department since 2002. | | | . 2002 |

Table 9.1
2005 - 2001
Beds by Department and Specialty 2001- 2006

| <i>Department</i> | <i>2005</i> | <i>2004</i> | <i>2003</i> | <i>2002</i> | <i>2001</i> | | |
|--|-------------|-------------|-------------|-------------|-------------|----|---|
| Medical | 202 | 269 | 258 | 256 | 214 | | |
| Internal Medicine | 121 | 216 | 205 | 205 | 165 | | |
| Chest/Respiratory | 17 | 17 | 17 | 17 | 17 | | |
| Cardiology | 48 | 20 | 20 | 20 | 20 | | |
| Cardiac Care Unit (CCU) | 16 | 16 | 16 | 14 | 12 | | |
| Neurosciences * | 44 | NA | NA | NA | NA | | * |
| Nephrology * | 19 | NA | NA | NA | NA | | * |
| Oncology * | 38 | NA | NA | NA | NA | | * |
| Surgical | 126 | 158 | 164 | 164 | 164 | | |
| General Surgery | 110 | 142 | 142 | 142 | 142 | | |
| Paediatrics Surgery | 16 | 16 | 22 | 22 | 22 | | |
| Orthopedic Surgery & Fracture | 62 | 64 | 58 | 58 | 58 | | |
| Plastic Surgery & Burns | 22 | 21 | 21 | 21 | 21 | | |
| Plastic Surgery | 5 | 4 | 4 | 4 | 4 | | |
| Burns | 17 | 17 | 17 | 17 | 17 | | |
| Paediatrics | 92 | 92 | 92 | 95 | 95 | | |
| General Paediatrics | 69 | 69 | 69 | 72 | 72 | | |
| Infectious Diseases | 23 | 23 | 23 | 23 | 23 | | |
| Special Care Baby Unit | 45 | 45 | 45 | 45 | 45 | | |
| Obstetrics & Gynecology | 146 | 146 | 156 | 156 | 156 | | |
| Obstetrics * | 80 | 80 | 80 | 80 | 80 * | | |
| Gynecology * | 66 | 66 | 76 | 76 | 76 * | | |
| E.N.T | 36 | 35 | 35 | 35 | 38 | | |
| Ophthalmology | 27 | 35 | 35 | 35 | 44 | | |
| Dental | 4 | 4 | 4 | 4 | - | | |
| Intensive Care Unit (ICU) | 19 | 11 | 11 | 11 | 11 | | |
| Adult | 11 | NA | NA | NA | NA | | |
| Paediatrics * | 8 | NA | NA | NA | NA * | | |
| Decanter Ward (12) * | NA | NA | NA | NA | 18 | | * |
| Infectious Diseases Ward (13) * | NA | NA | NA | NA | 17 | | * |
| Other | 45 | 40 | 40 | 40 | 52 | | |
| Day Case Unit | 17 | 18 | 18 | 18 | 18 | | |
| Private Ward | 28 | 22 | 22 | 22 | 22 | | |
| Short Stay Beds (ward 62) * | NA | NA | NA | NA | 12 * | 62 | |
| Total * | 882 | 875 | 874 | 875 | 888 | | * |

* Refer to Conventions used in the report .

Table 9.2
2005
Bed Utilization 2005

| <i>SCBU</i> | <i>Total</i> | ² <i>Private Ward</i> | <i>Intensive Care Unit</i> | <i>Neuro Sciences</i> | <i>Oncology</i> | <i>Dental</i> | <i>Ophthalmology</i> | <i>E.N.T.</i> | <i>Paediatrics</i> | <i>Obs. & Gyne.</i> | <i>Plastic Surg. & Burn</i> | <i>Orthop Surg. & Fracture</i> | <i>Surgery</i> | ¹ <i>Medical</i> | <i>Description</i> |
|-------------|----------------|-------------------------------------|----------------------------|-----------------------|-----------------|---------------|----------------------|---------------|--------------------|-------------------------|---------------------------------|------------------------------------|----------------|--------------------------------|---------------------------|
| 948 | 45,885 | 657 | 202 | 2,604 | 2,471 | 342 | 1,074 | 3,299 | 4,580 | 12,358 | 584 | 2,538 | 5,967 | 9,866 | Total admissions |
| 937 | 45,963 | 1,465 | 118 | 2,688 | 2,539 | 350 | 1,073 | 3,294 | 4,601 | 12,350 | 593 | 2,544 | 5,987 | 9,826 | Total discharges |
| 45 | 865 | 28 | 19 | 44 | 38 | 4 | 27 | 36 | 92 | 146 | 22 | 62 | 126 | 221 | No. of beds |
| 16,425 | 315,725 | 10,220 | 6,935 | 16,060 | 13,870 | 1,460 | 9,855 | 13,140 | 33,580 | 53,290 | 8,030 | 22,630 | 45,990 | 80,665 | Bed days available |
| 10,512 | 248,880 | 7,082 | 1,985 | 18,303 | 18,106 | 1,864 | 5,880 | 10,243 | 20,775 | 44,160 | 5,465 | 19,693 | 41,351 | 61,055 | Patient-days overnight |
| 15 | 913 | 13 | 7 | 131 | 33 | 2 | 8 | 91 | 135 | 244 | 12 | 25 | 45 | 180 | > Patient days < 1 day |
| 10,527 | 249,793 | 7,095 | 1,992 | 18,434 | 18,139 | 1,866 | 5,888 | 10,334 | 20,910 | 44,404 | 5,477 | 19,718 | 41,396 | 61,235 | Total Patient days |

(Cont'd) Table 9.2 ()
2005
Bed Utilization 2005

| SCBU | Total | Private Ward ² | Intensive Care Unit | Neuro Sciences | Oncology | Dental | Ophthalmology | E.N.T. | Paediatrics | Obs. & Gyne. | Plastic Surg. & Burn | Orthop Surg. & Fracture | Surgery | Medical ¹ | Description |
|------|-------|---------------------------|---------------------|----------------|----------|--------|---------------|--------|-------------|--------------|----------------------|-------------------------|---------|----------------------|--------------------------------|
| 64.1 | 79.1 | 69.4 | 28.7 | 114.8 | 130.8 | 127.8 | 59.7 | 78.6 | 62.3 | 83.3 | 68.2 | 87.1 | 90.0 | 75.9 | Bed occupancy rate |
| 20.8 | 53.1 | 52.3 | 6.2 | 61.1 | 66.8 | 87.5 | 39.7 | 91.5 | 50.0 | 84.6 | 27.0 | 41.0 | 47.5 | 44.5 | Turnover rate |
| 6.3 | 1.4 | 2.1 | 41.9 | -0.9 | -1.7 | -1.2 | 3.7 | 0.9 | 2.8 | 0.7 | 4.3 | 1.1 | 0.8 | 2.0 | Turnover interval ³ |
| 2.6 | 125.7 | 1.8 | 0.6 | 7.1 | 6.8 | 0.9 | 2.9 | 9.0 | 12.5 | 33.9 | 1.6 | 7.0 | 16.3 | 27.0 | Average daily admission |
| 2.6 | 125.9 | 4.0 | 0.3 | 7.4 | 7.0 | 1.0 | 2.9 | 9.0 | 12.6 | 33.8 | 1.6 | 7.0 | 16.4 | 26.9 | Average daily discharge |
| 11.2 | 5.4 | 4.8 | 16.9 | 6.9 | 7.1 | 5.3 | 5.5 | 3.1 | 4.5 | 3.6 | 9.2 | 7.8 | 6.9 | 6.2 | Average length of stay |

¹ Nephrology beds included with Medical as there is no separate patients data from Medical department.

² Private ward 410, 413: data in this column already counted within the related departments except number of beds & bed days available.

³ Turnover Interval: Negative sign indicates that the concerned department is utilising more beds than allocated.

Note: Total excluding Day Case Unit.

Table 9.3
2005 - 2001
Bed Utilization by Department 2001 - 2005

| <i>Department / Unit</i> | <i>2005</i> | <i>2004</i> | <i>2003</i> | <i>2002</i> | <i>2001</i> | <i>/</i> |
|--------------------------|-------------|-------------|-------------|-------------|-------------|----------|
| Medical | | | | | | |
| Total Admissions | 9,886 | 12,575 | 11,383 | 10,097 | 9,102 | |
| Total Discharges | 9,826 | 12,568 | 11,409 | 10,124 | 9,070 | |
| No.of beds | 221 | 269 | 258 | 256 | 214 | |
| Total Patient days | 61,235 | 94,925 | 90,403 | 84,329 | 81,269 | |
| Bed occupancy rate | 75.9 | 96.4 | 96.0 | 90.2 | 103.8 | |
| Average length of stay | 6.2 | 7.6 | 7.9 | 8.3 | 9.0 | |
| Surgical | | | | | | |
| Total Admissions | 5,967 | 6,777 | 6,615 | 7,109 | 7,291 | |
| Total Discharges | 5,987 | 6,836 | 6,691 | 7,163 | 7,348 | |
| No.of beds | 126 | 158 | 164 | 164 | 164 | |
| Total Patient days | 41,396 | 51,485 | 49,818 | 50,951 | 55,111 | |
| Bed occupancy rate | 90.0 | 89.0 | 83.2 | 85.1 | 91.8 | |
| Average length of stay | 6.9 | 7.5 | 7.4 | 7.1 | 7.5 | |
| Paediatrics | | | | | | |
| Total Admissions | 4,580 | 4,447 | 4,452 | 4,564 | 4,211 | |
| Total Discharges | 4,601 | 4,463 | 4,441 | 4,589 | 4,224 | |
| No.of beds | 92 | 92 | 92 | 95 | 95 | |
| Total Patient days | 20,910 | 24,290 | 25,773 | 24,304 | 24,155 | |
| Bed occupancy rate | 62.3 | 72.1 | 76.8 | 70.1 | 69.5 | |
| Average length of stay | 4.5 | 5.4 | 5.8 | 5.3 | 5.7 | |

Note: Table 9.5 indicates admissions and discharges by department where as this table provides information by department and it's units.

9.5

(Cont'd) Table 9.3 ()
2005 - 2001
Bed Utilization by Department 2001 - 2005

| <i>Department / Unit</i> | <i>2005</i> | <i>2004</i> | <i>2003</i> | <i>2002</i> | <i>2001</i> | <i>/</i> |
|------------------------------|-------------|-------------|-------------|-------------|-------------|----------|
| Obstetrics/Gynecology | | | | | | |
| Total Admissions | 12,358 | 12,060 | 11,442 | 11,367 | 10,882 | |
| Total Discharges | 12,350 | 12,075 | 11,433 | 11,372 | 10,863 | |
| No. of beds | 146 | 146 | 156 | 156 | 156 | |
| Total Patient days | 44,404 | 44,137 | 41,810 | 44,423 | 44,497 | |
| Bed occupancy rate | 83.3 | 82.6 | 73.4 | 78.0 | 77.9 | |
| Average length of stay | 3.6 | 3.7 | 3.7 | 3.9 | 4.1 | |
| E.N.T | | | | | | |
| Total Admissions | 3,299 | 3,310 | 3,206 | 3,413 | 3,370 | |
| Total Discharges | 3,294 | 3,313 | 3,190 | 3,406 | 3,357 | |
| No. of beds | 36 | 35 | 35 | 35 | 38 | |
| Total Patient days | 10,334 | 10,932 | 11,034 | 11,052 | 11,243 | |
| Bed occupancy rate | 78.6 | 85.3 | 86.4 | 86.5 | 80.8 | |
| Average length of stay | 3.1 | 3.3 | 3.5 | 3.2 | 3.3 | |
| Ophthalmology | | | | | | |
| Total Admissions | 1,074 | 1,219 | 1,296 | 1,320 | 1,385 | |
| Total Discharges | 1,073 | 1,219 | 1,298 | 1,313 | 1,371 | |
| No. of beds | 27 | 35 | 35 | 35 | 44 | |
| Total Patient days | 5,888 | 6,458 | 8,028 | 8,764 | 9,094 | |
| Bed occupancy rate | 59.7 | 50.4 | 62.8 | 68.6 | 56.5 | |
| Average length of stay | 5.5 | 5.3 | 6.2 | 6.7 | 6.6 | |

(Cont'd) Table 9.3 ()
 2005 - 2001
 Bed Utilization by Department 2001 - 2005

| <i>Department / Unit</i> | <i>2005</i> | <i>2004</i> | <i>2003</i> | <i>2002</i> | <i>2001</i> | <i>/</i> |
|--|-------------|-------------|-------------|-------------|-------------|----------|
| Orthopedic Surgery & Fracture | | | | | | |
| Admissions | 2,538 | 2,284 | 2,082 | 1,997 | 2,021 | |
| Discharges | 2,544 | 2,277 | 2,083 | 2,016 | 2,010 | |
| No. of beds | 62 | 64 | 58 | 58 | 58 | |
| Total Patient days | 19,718 | 20,454 | 20,040 | 17,824 | 20,385 | |
| Bed occupancy rate | 87.1 | 87.3 | 94.7 | 84.0 | 96.0 | |
| Average length of stay | 7.8 | 9.0 | 9.6 | 8.8 | 10.1 | |
| Plastic Surgery & Burns | | | | | | |
| Total Admissions | 584 | 467 | 379 | 383 | 347 | |
| Total Discharges | 593 | 479 | 388 | 390 | 369 | |
| No. of beds | 22 | 21 | 21 | 21 | 21 | |
| Total Patient days | 5,477 | 4,369 | 4,447 | 3,749 | 4,768 | |
| Bed occupancy rate | 68.2 | 56.8 | 58.0 | 48.9 | 62.0 | |
| Average length of stay | 9.2 | 9.1 | 11.5 | 9.6 | 12.9 | |
| Intensive Care Unit | | | | | | |
| Total Admissions | 202 | 223 | 204 | 184 | 173 | |
| Total Discharges | 118 | 109 | 122 | 114 | 82 | |
| No. of beds | 19 | 11 | 11 | 11 | 11 | |
| Total Patient days | 1,992 | 1,545 | 1,755 | 1,565 | 1,150 | |
| Bed occupancy rate | 28.7 | 38.4 | 43.7 | 39.0 | 28.6 | |
| Average length of stay | 16.9 | 14.2 | 14.4 | 13.7 | 14.0 | |

(Cont'd) Table 9.3 ()
2005 - 2001
Bed Utilization by Department 2001 - 2005

| <i>Department / Unit</i> | <i>2005</i> | <i>2004</i> | <i>2003</i> | <i>2002</i> | <i>2001</i> | <i>/</i> |
|-------------------------------|----------------|----------------|----------------|----------------|----------------|----------|
| Dental * | | | | | | * |
| Total Admissions | 342 | 302 | 325 | 259 | 245 | |
| Total Discharges | 350 | 309 | 324 | 253 | 253 | |
| No. of beds | 4 | 4 | 4 | 4 | NA | |
| Total Patient days | 1,866 | 1,628 | 1,611 | 1,403 | NA | |
| Bed occupancy rate | 127.8 | 111.2 | 110.3 | 96.1 | NA | |
| Average length of stay | 5.3 | 5.3 | 5.0 | 5.5 | NA | |
| Private ward | | | | | | |
| Total Admissions | 657 | 622 | 604 | 687 | 747 | |
| Total Discharges | 1,465 | 1,347 | 1,228 | 1,330 | 1,323 | |
| No. of beds | 28 | 22 | 22 | 22 | 22 | |
| Total Patient days | 7,095 | 6,517 | 6,356 | 6,060 | 6,116 | |
| Bed occupancy rate | 69.4 | 80.9 | 79.2 | 75.5 | 76.0 | |
| Average length of stay | 4.8 | 4.8 | 5.2 | 4.6 | 4.6 | |
| Total Admissions | 45,885 | 43,664 | 41,384 | 40,693 | 38,782 | |
| Total Discharges | 45,963 | 43,648 | 41,379 | 40,740 | 38,694 | |
| No. of beds | 865 | 857 | 856 | 857 | 823 | |
| Total Patient days | 249,793 | 260,223 | 254,719 | 248,364 | 251,672 | |
| Bed occupancy rate | 79.1 | 83.0 | 81.5 | 79.4 | 83.6 | |
| Average length of stay | 5.4 | 6.0 | 6.2 | 6.1 | 6.5 | |
| Special Care Baby Unit | | | | | | |
| Total Admissions | 948 | 979 | 1,001 | 905 | 864 | |
| Total Discharges | 937 | 972 | 982 | 896 | 839 | |
| No. of beds | 45 | 45 | 45 | 45 | 45 | |
| Total Patient days | 10,527 | 12,137 | 11,096 | 11,258 | 11,720 | |
| Bed occupancy rate | 64.1 | 73.7 | 67.6 | 68.5 | 71.2 | |
| Average length of stay | 11.2 | 12.5 | 11.3 | 12.6 | 14.0 | |

* 2001 Dental details included with Surgical department.

2001

*


Table 9.4
2005
Re-Admissions 2005

| <i>Admission Classification</i> | <i>Total</i> | | |
|---------------------------------|--------------|---|---|
| No previous admission | 35,206 | | |
| Same condition <= 3 months | 3,674 | | 3 |
| Same condition > 3 months | 987 | 3 | |
| Other condition < = 3 months | 5,266 | | 3 |
| Other condition > 3 months | 1,767 | 3 | |

Table 9.5
2005
Admissions and Discharges by Department and Days of the Week 2005

| <i>Department</i> | <i>Total</i> | | <i>Fri</i> | | <i>Thurs</i> | | <i>Wed</i> | | <i>Tues</i> | | <i>Mon</i> | | <i>Sun</i> | | <i>Sat</i> | | |
|-------------------------------|---------------|---------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|--|
| | <i>Disch.</i> | <i>Adm.</i> | <i>Disch.</i> | <i>Adm.</i> | <i>Disch.</i> | <i>Adm.</i> | <i>Disch.</i> | <i>Adm.</i> | <i>Disch.</i> | <i>Adm.</i> | <i>Disch.</i> | <i>Adm.</i> | <i>Disch.</i> | <i>Adm.</i> | <i>Disch.</i> | <i>Adm.</i> | |
| Medical | 9,826 | 9,866 | 640 | 1,078 | 826 | 1,221 | 1,817 | 1,481 | 1,590 | 1,500 | 1,571 | 1,442 | 1,604 | 1,530 | 1,778 | 1,614 | |
| Surgical | 5,987 | 5,967 | 529 | 654 | 497 | 403 | 1,010 | 730 | 980 | 1,033 | 1,079 | 1,036 | 782 | 904 | 1,110 | 1,207 | |
| Ophthalmology | 1,073 | 1,074 | 23 | 81 | 92 | 60 | 223 | 111 | 226 | 208 | 176 | 196 | 133 | 172 | 200 | 246 | |
| E.N.T. | 3,294 | 3,299 | 284 | 326 | 322 | 152 | 592 | 448 | 678 | 599 | 540 | 695 | 395 | 586 | 483 | 493 | |
| Dental | 350 | 342 | 6 | 26 | 26 | 27 | 47 | 37 | 49 | 41 | 77 | 59 | 68 | 61 | 77 | 91 | |
| Pediatrics | 4,601 | 4,580 | 398 | 597 | 482 | 554 | 787 | 661 | 785 | 597 | 718 | 739 | 641 | 724 | 790 | 708 | |
| Neurosciences | 2,688 | 2,604 | 175 | 260 | 218 | 313 | 508 | 383 | 445 | 372 | 527 | 451 | 414 | 410 | 401 | 415 | |
| Oncology | 2,539 | 2,471 | 153 | 271 | 207 | 326 | 469 | 368 | 398 | 359 | 410 | 378 | 386 | 381 | 516 | 388 | |
| Orthopedic Surgery & Fracture | 2,544 | 2,538 | 93 | 163 | 193 | 188 | 495 | 352 | 465 | 462 | 413 | 417 | 344 | 431 | 541 | 525 | |
| Plastic Surgery & Burns | 593 | 584 | 47 | 81 | 38 | 43 | 124 | 98 | 72 | 49 | 108 | 119 | 70 | 64 | 134 | 130 | |
| Obstetrics & Gynecology | 12,350 | 12,358 | 1,188 | 1,519 | 1,376 | 1,357 | 2,008 | 1,552 | 1,983 | 2,012 | 1,744 | 1,886 | 1,850 | 2,024 | 2,201 | 2,008 | |
| ICU | 118 | 202 | 22 | 34 | 16 | 32 | 13 | 31 | 19 | 31 | 13 | 26 | 20 | 16 | 15 | 32 | |
| Total | 45,963 | 45,885 | 3,558 | 5,090 | 4,293 | 4,676 | 8,093 | 6,252 | 7,690 | 7,263 | 7,376 | 7,444 | 6,707 | 7,303 | 8,246 | 7,857 | |
| Special Care Baby Unit (SCBU) | 937 | 948 | 90 | 115 | 112 | 120 | 176 | 126 | 151 | 150 | 114 | 136 | 148 | 144 | 146 | 157 | |
| Grand Total | 46,900 | 46,833 | 3,648 | 5,205 | 4,405 | 4,796 | 8,269 | 6,378 | 7,841 | 7,413 | 7,490 | 7,580 | 6,855 | 7,447 | 8,392 | 8,014 | |

Figure 9.1
2005
Admissions and Discharges By Days of the Week 2005




Reference: Table 9.5

9.5 :

Table 9.6
2005 ()
Discharges (Alive and Dead) by Age Groups, Nationality and Sex 2005

| <i>Total</i> | | | <i>Non-Bahraini</i> | | | <i>Bahraini</i> | | | | () |
|--------------|---------------|-------------|---------------------|---------------|-------------|-----------------|---------------|-------------|-------|--------------------------|
| <i>Total</i> | <i>Female</i> | <i>Male</i> | <i>Total</i> | <i>Female</i> | <i>Male</i> | <i>Total</i> | <i>Female</i> | <i>Male</i> | | <i>Age Group (Years)</i> |
| 2,638 | 1,137 | 1,501 | 423 | 188 | 235 | 2,215 | 949 | 1,266 | Alive | <1 year |
| 93 | 41 | 52 | 11 | 5 | 6 | 82 | 36 | 46 | Dead | |
| 2,731 | 1,178 | 1,553 | 434 | 193 | 241 | 2,297 | 985 | 1,312 | Total | |
| 4,941 | 2,042 | 2,899 | 518 | 219 | 299 | 4,423 | 1,823 | 2,600 | Alive | 1 - 9 |
| 20 | 11 | 9 | 2 | - | 2 | 18 | 11 | 7 | Dead | |
| 4,961 | 2,053 | 2,908 | 520 | 219 | 301 | 4,441 | 1,834 | 2,607 | Total | |
| 3,922 | 1,812 | 2,110 | 308 | 192 | 116 | 3,614 | 1,620 | 1,994 | Alive | 10 - 19 |
| 19 | 6 | 13 | 1 | - | 1 | 18 | 6 | 12 | Dead | |
| 3,941 | 1,818 | 2,123 | 309 | 192 | 117 | 3,632 | 1,626 | 2,006 | Total | |
| 11,230 | 7,843 | 3,387 | 2,417 | 1,454 | 963 | 8,813 | 6,389 | 2,424 | Alive | 20 - 29 |
| 24 | 6 | 18 | 5 | - | 5 | 19 | 6 | 13 | Dead | |
| 11,254 | 7,849 | 3,405 | 2,422 | 1,454 | 968 | 8,832 | 6,395 | 2,437 | Total | |
| 8,590 | 5,785 | 2,805 | 2,567 | 1,322 | 1,245 | 6,023 | 4,463 | 1,560 | Alive | 30 - 39 |
| 45 | 20 | 25 | 15 | 6 | 9 | 30 | 14 | 16 | Dead | |
| 8,635 | 5,805 | 2,830 | 2,582 | 1,328 | 1,254 | 6,053 | 4,477 | 1,576 | Total | |
| 5,263 | 2,866 | 2,397 | 1,541 | 434 | 1,107 | 3,722 | 2,432 | 1,290 | Alive | 40 - 49 |
| 90 | 35 | 55 | 23 | 6 | 17 | 67 | 29 | 38 | Dead | |
| 5,353 | 2,901 | 2,452 | 1,564 | 440 | 1,124 | 3,789 | 2,461 | 1,328 | Total | |
| 3,311 | 1,515 | 1,796 | 763 | 160 | 603 | 2,548 | 1,355 | 1,193 | Alive | 50 - 59 |
| 103 | 41 | 62 | 18 | 2 | 16 | 85 | 39 | 46 | Dead | |
| 3,414 | 1,556 | 1,858 | 781 | 162 | 619 | 2,633 | 1,394 | 1,239 | Total | |
| 2,740 | 1,397 | 1,343 | 208 | 56 | 152 | 2,532 | 1,341 | 1,191 | Alive | 60 - 69 |
| 170 | 93 | 77 | 9 | 5 | 4 | 161 | 88 | 73 | Dead | |
| 2,910 | 1,490 | 1,420 | 217 | 61 | 156 | 2,693 | 1,429 | 1,264 | Total | |
| 3,220 | 1,479 | 1,741 | 158 | 66 | 92 | 3,062 | 1,413 | 1,649 | Alive | 70 + |
| 481 | 233 | 248 | 28 | 11 | 17 | 453 | 222 | 231 | Dead | |
| 3,701 | 1,712 | 1,989 | 186 | 77 | 109 | 3,515 | 1,635 | 1,880 | Total | |
| 45,855 | 25,876 | 19,979 | 8,903 | 4,091 | 4,812 | 36,952 | 21,785 | 15,167 | Alive | Total |
| 1,045 | 486 | 559 | 112 | 35 | 77 | 933 | 451 | 482 | Dead | |
| 46,900 | 26,362 | 20,538 | 9,015 | 4,126 | 4,889 | 37,885 | 22,236 | 15,649 | Total | |

Figure 9.2
2005 ()
Discharges (Alive and Dead) By Age Groups and Nationality 2005



Reference: Table 9.6

9.6 :


Table 9.7
2005 ()
Discharges (Alive and Dead) by Geographical Region 2005

| <i>Region</i> | <i>Total</i> | | <i>Dead</i> | | <i>Alive</i> | |
|---------------|--------------|---------------|--------------|--------------|--------------|---------------|
| | <i>%</i> | <i>No.</i> | <i>%</i> | <i>No.</i> | <i>%</i> | <i>No.</i> |
| Hidd | 1.8 | 839 | 3.1 | 32 | 1.8 | 807 |
| Muharraq | 14.0 | 6,581 | 19.1 | 200 | 13.9 | 6,381 |
| Manama | 20.7 | 9,694 | 24.8 | 259 | 20.6 | 9,435 |
| Jidhafs | 11.2 | 5,247 | 11.1 | 116 | 11.2 | 5,131 |
| Northern | 7.9 | 3,703 | 7.1 | 74 | 7.9 | 3,629 |
| Sitra | 9.4 | 4,386 | 7.5 | 78 | 9.4 | 4,308 |
| Central | 9.4 | 4,424 | 7.2 | 75 | 9.5 | 4,349 |
| Isa Town | 6.4 | 3,020 | 6.0 | 63 | 6.4 | 2,957 |
| Riffa | 5.5 | 2,560 | 5.7 | 60 | 5.5 | 2,500 |
| Western | 5.6 | 2,622 | 3.7 | 39 | 5.6 | 2,583 |
| Southern | 0.2 | 81 | 0.3 | 3 | 0.2 | 78 |
| Hamad Town | 7.7 | 3,630 | 4.0 | 42 | 7.8 | 3,588 |
| Undetermined | 0.2 | 113 | 0.4 | 4 | 0.2 | 109 |
| Total | 100.0 | 46,900 | 100.0 | 1,045 | 100.0 | 45,855 |

Table 9.8
2005 ()
Discharges (Alive and Dead) by Source of Admission 2005

| <i>Source of Admission</i> | <i>Total</i> | | <i>Dead</i> | | <i>Alive</i> | | |
|--------------------------------|--------------|---------------|--------------|--------------|--------------|---------------|-----|
| | <i>%</i> | <i>No.</i> | <i>%</i> | <i>No.</i> | <i>%</i> | <i>No.</i> | |
| Outpatient Clinics (SMC) | 19 | 8,976 | 4.7 | 49 | 19.5 | 8,927 | () |
| Accident & Emergency | 77 | 36,134 | 94.7 | 990 | 76.6 | 35,144 | |
| Limited Private Practice (SMC) | 1 | 445 | - | - | 1.0 | 445 | () |
| Other Private Clinics | 3 | 1,345 | 0.6 | 6 | 2.9 | 1,339 | () |
| Total | 100.0 | 46,900 | 100.0 | 1,045 | 100.0 | 45,855 | |

Figure 9.3
2005 ()
Discharges (Alive and Dead) By Source of Admission 2005



Reference: Table 9.8

9.8 :

Table 9.9
2005 ()
Discharges (Alive and Dead) by Marital Status 2005

| <i>Marital Status</i> | <i>Total</i> | | <i>Dead</i> | | <i>Alive</i> | |
|-----------------------|--------------|---------------|--------------|--------------|--------------|---------------|
| | <i>%</i> | <i>No.</i> | <i>%</i> | <i>No.</i> | <i>%</i> | <i>No.</i> |
| Single | 42.7 | 20,011 | 29.9 | 312 | 43.0 | 19,699 |
| Married | 53.3 | 24,976 | 49.8 | 520 | 53.3 | 24,456 |
| Widowed | 3.4 | 1,592 | 18.6 | 194 | 3.0 | 1,398 |
| Divorced | 0.7 | 309 | 1.8 | 19 | 0.6 | 290 |
| Unknown | 0.03 | 12 | - | - | 0.03 | 12 |
| Total | 100.0 | 46,900 | 100.0 | 1,045 | 100.0 | 45,855 |

Table 9.10
2005 ()
Discharges (Alive and Dead) by Nationality 2005

| <i>Nationality</i> | <i>Total</i> | | <i>Dead</i> | | <i>Alive</i> | |
|--|--------------|---------------|-------------|--------------|--------------|---------------|
| | <i>%</i> | <i>No.</i> | <i>%</i> | <i>No.</i> | <i>%</i> | <i>No.</i> |
| Bahraini | 80.8 | 37,885 | 89.3 | 933 | 80.6 | 36,952 |
| Indian | 7.1 | 3,352 | 3.3 | 34 | 7.2 | 3,318 |
| Pakistani | 2.6 | 1,235 | 1.9 | 20 | 2.6 | 1,215 |
| Other Arab | 2.6 | 1,205 | 0.8 | 8 | 2.6 | 1,197 |
| Bangladeshi | 2.1 | 962 | 0.8 | 8 | 2.1 | 954 |
| Philipino | 0.9 | 438 | 0.9 | 9 | 0.9 | 429 |
| Saudi Arabian | 1.1 | 503 | 0.6 | 6 | 1.1 | 497 |
| Iranian | 0.4 | 179 | 1.4 | 15 | 0.4 | 164 |
| Srilankan | 0.5 | 237 | 0.2 | 2 | 0.5 | 235 |
| Other Countries of Gulf Co-operation Council | 0.6 | 301 | 0.3 | 3 | 0.6 | 298 |
| European | 0.1 | 58 | 0.1 | 1 | 0.1 | 57 |
| Other Asians | 0.3 | 132 | - | - | 0.3 | 132 |
| African (non Arab) | 0.6 | 283 | 0.3 | 3 | 0.6 | 280 |
| American | 0.2 | 81 | - | - | 0.2 | 81 |
| Other Nationalities | 0.1 | 49 | 0.3 | 3 | 0.1 | 46 |
| Total | 100.0 | 46,900 | 99.7 | 1,045 | 100.0 | 45,855 |

Table 9.11
2005 ()
Discharges (Alive and Dead) by Diagnosis, Nationality and Sex 2005

| <i>Grand Total</i> | <i>Total</i> | | | | <i>Non-Bahraini</i> | | | | <i>Bahraini</i> | | | | <i>Principal Diagnosis</i> | <i>ICD-10 Code</i> |
|--------------------|---------------|--------------|-------------|--------------|---------------------|--------------|-------------|--------------|-----------------|--------------|-------------|--------------|---|--------------------|
| | <i>Female</i> | | <i>Male</i> | | <i>Female</i> | | <i>Male</i> | | <i>Female</i> | | <i>Male</i> | | | |
| | <i>Dead</i> | <i>Alive</i> | <i>Dead</i> | <i>Alive</i> | <i>Dead</i> | <i>Alive</i> | <i>Dead</i> | <i>Alive</i> | <i>Dead</i> | <i>Alive</i> | <i>Dead</i> | <i>Alive</i> | | |
| 1,979 | 148 | 768 | 173 | 890 | 2 | 140 | 17 | 276 | 146 | 628 | 156 | 614 | Certain infectious & parasitic diseases | A00-B99 |
| 1,574 | 80 | 803 | 76 | 615 | 8 | 114 | 8 | 90 | 72 | 689 | 68 | 525 | Neoplasms | C00-D49 |
| 3,590 | 6 | 1,385 | 11 | 2,188 | - | 51 | - | 44 | 6 | 1,334 | 11 | 2,144 | Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism | D50-D89 |
| 1,396 | 5 | 683 | 8 | 700 | 1 | 78 | - | 128 | 4 | 605 | 8 | 572 | () Endocrine, nutritional and metabolic diseases | E00-E90 |
| 118 | 1 | 33 | 2 | 82 | - | 9 | - | 33 | 1 | 24 | 2 | 49 | Mental and behavioural disorders | F00-F99 |
| 712 | 6 | 324 | 8 | 374 | 1 | 45 | 1 | 87 | 5 | 279 | 7 | 287 | Diseases of the nervous system | G00-G99 |
| 936 | - | 412 | - | 524 | - | 28 | - | 93 | - | 384 | - | 431 | Diseases of the eye and adnexa | H00-H59 |
| 387 | - | 178 | - | 209 | - | 18 | - | 30 | - | 160 | - | 179 | Diseases of the ear and mastoid process | H60-H95 |
| 3,891 | 107 | 1,408 | 122 | 2,254 | 12 | 149 | 27 | 784 | 95 | 1,259 | 95 | 1,470 | Diseases of the circulatory system | I00-I99 |
| 4,448 | 52 | 1,859 | 43 | 2,494 | 2 | 199 | 2 | 358 | 50 | 1,660 | 41 | 2,136 | Diseases of the respiratory system | J00-J99 |
| 3,592 | 26 | 1,401 | 22 | 2,143 | 3 | 211 | 2 | 631 | 23 | 1,190 | 20 | 1,512 | Diseases of the digestive system | K00-K99 |
| 701 | - | 275 | 1 | 425 | - | 41 | - | 123 | - | 234 | 1 | 302 | Diseases of the skin and subcutaneous tissue | L00-L99 |

(Cont'd) Table 9.11 (تابع) جدول
 الخروج (أحياء و أموات) حسب التشخيص الرئيسي و الجنسية و النوع 2005
 Discharges (Alive and Dead) by Diagnosis, Nationality and Sex 2005

| Grand Total | Total | | | | Non-Bahraini | | | | Bahraini | | | | Principal Diagnosis | ICD-10 Code |
|-------------|--------|--------|------|--------|--------------|-------|------|-------|----------|--------|------|--------|--|-------------|
| | Female | | Male | | Female | | Male | | Female | | Male | | | |
| | Dead | Alive | Dead | Alive | Dead | Alive | Dead | Alive | Dead | Alive | Dead | Alive | | |
| 1,471 | 1 | 595 | 1 | 874 | - | 56 | - | 198 | 1 | 539 | 1 | 676 | Diseases of the musculoskeletal system and connective tissue | M00-M99 |
| 2,444 | 4 | 1,482 | 6 | 952 | - | 233 | 1 | 275 | 4 | 1,249 | 5 | 677 | Diseases of the genitourinary system | N00-N99 |
| 10,603 | 1 | 10,602 | - | - | 1 | 2,128 | - | - | - | 8,474 | - | - | Pregnancy, childbirth and the puerperium | O00-O99 |
| 1,338 | 21 | 574 | 34 | 709 | 3 | 87 | 2 | 129 | 18 | 487 | 32 | 580 | Certain conditions originating in the perinatal period | P00-P99 |
| 543 | 11 | 234 | 8 | 290 | 1 | 30 | 3 | 26 | 10 | 204 | 5 | 264 | (Congenital malformations, deformations and chromosomal abnormalities | Q00-Q99 |
| 2,533 | 15 | 1,211 | 13 | 1,294 | 1 | 181 | 1 | 396 | 14 | 1,030 | 12 | 898 | Symptoms, signs and abnormal clinical and laboratory findings not elsewhere classified | R00-R99 |
| 3,652 | 2 | 1,089 | 31 | 2,530 | - | 203 | 13 | 1,050 | 2 | 886 | 18 | 1,480 | Injury, poisoning and certain other consequences of external causes | S00-T98 |
| 12 | - | 5 | - | 7 | - | - | - | - | - | 5 | - | 7 | External causes of morbidity and mortality | V00-Y98 |
| 980 | - | 555 | - | 425 | - | 90 | - | 61 | - | 465 | - | 364 | Factors influencing health status and contact with health services | Z00-Z99 |
| 46,900 | 486 | 25,876 | 559 | 19,979 | 35 | 4,091 | 77 | 4,812 | 451 | 21,785 | 482 | 15,167 | Total | |

Table 9.12
2005 ()
Discharges (Alive and Dead) by Diagnosis and Age Groups 2005

| <i>Total</i> | <i>70+</i> | <i>60-69</i> | <i>50-59</i> | <i>40-49</i> | <i>30-39</i> | <i>20-29</i> | <i>10-19</i> | <i>1-9</i> | <i><1 yrs</i> | | <i>Principal Diagnosis</i> | <i>ICD-12 Code</i> |
|--------------|------------|--------------|--------------|--------------|--------------|--------------|--------------|------------|------------------|-------|---|--------------------|
| 1,658 | 151 | 62 | 72 | 129 | 180 | 213 | 109 | 511 | 231 | Alive | | A00-B99 |
| 321 | 194 | 50 | 21 | 26 | 8 | 3 | 7 | 6 | 6 | Dead | Certain infectious & parasitic diseases | |
| 1,418 | 170 | 190 | 222 | 269 | 156 | 115 | 67 | 214 | 15 | Alive | | C00-D49 |
| 156 | 52 | 33 | 24 | 28 | 11 | 5 | 1 | 2 | - | Dead | Neoplasms | |
| 3,573 | 21 | 34 | 38 | 265 | 567 | 1,266 | 902 | 455 | 25 | Alive | | D50-D89 |
| 17 | 4 | 1 | 2 | 1 | 4 | 3 | 1 | - | 1 | Dead | Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism | |
| 1,383 | 219 | 190 | 206 | 225 | 154 | 121 | 143 | 82 | 43 | Alive | () | E00-E90 |
| 13 | 7 | 1 | 1 | 1 | - | - | - | - | 3 | Dead | Endocrine, nutritional and metabolic diseases | |
| 115 | 13 | 11 | 23 | 32 | 14 | 16 | 4 | 2 | - | Alive | | F00-F99 |
| 3 | 1 | 1 | - | 1 | - | - | - | - | - | Dead | Mental and behavioural disorders | |
| 698 | 65 | 53 | 71 | 120 | 68 | 115 | 82 | 103 | 21 | Alive | | G00-G99 |
| 14 | 4 | 1 | 1 | 1 | 1 | 1 | - | 2 | 3 | Dead | Diseases of the nervous system | |
| 936 | 244 | 254 | 139 | 67 | 72 | 72 | 36 | 46 | 6 | Alive | | H00-H59 |
| - | - | - | - | - | - | - | - | - | - | Dead | Diseases of the eye and adnexa | |
| 387 | 7 | 4 | 13 | 32 | 51 | 49 | 39 | 171 | 21 | Alive | | H60-H95 |
| - | - | - | - | - | - | - | - | - | - | Dead | Diseases of the ear and mastoid process | |
| 3,662 | 832 | 718 | 801 | 698 | 347 | 186 | 37 | 30 | 13 | Alive | | I00-I99 |
| 229 | 111 | 54 | 34 | 17 | 7 | 3 | 2 | - | 1 | Dead | Diseases of the circulatory system | |
| 4,353 | 370 | 240 | 223 | 314 | 424 | 570 | 500 | 1,422 | 290 | Alive | | J00-J99 |
| 95 | 61 | 10 | 7 | 2 | 4 | - | 5 | 4 | 2 | Dead | Diseases of the respiratory system | |
| 3,544 | 286 | 274 | 398 | 537 | 626 | 662 | 374 | 273 | 114 | Alive | | K00-K99 |
| 48 | 19 | 12 | 5 | 6 | 1 | 2 | 1 | 1 | 1 | Dead | Diseases of the digestive system | |
| 700 | 44 | 32 | 81 | 94 | 84 | 142 | 115 | 95 | 13 | Alive | | L00-L99 |
| 1 | 1 | - | - | - | - | - | - | - | - | Dead | Diseases of the skin and subcutaneous tissue | |

(Cont'd) Table 9.12 (تابع) جدول
 الخروج (أحياء و أموات) حسب التشخيص وفئات العمر 2005
 Discharges (Alive and Dead) by Diagnosis and Age Groups 2005

| Total | 70+ | 60-69 | 50-59 | 40-49 | 30-39 | 20-29 | 10-19 | 1-9 | <1 yrs | | Principal Diagnosis | ICD-12 Code |
|--------|-------|-------|-------|-------|-------|--------|-------|-------|--------|-------|---|-------------|
| 1,469 | 101 | 137 | 212 | 281 | 236 | 303 | 117 | 72 | 10 | Alive | Diseases of the musculoskeletal system and connective tissue | M00-M99 |
| 2 | 1 | - | - | - | 1 | - | - | - | - | Dead | | |
| 2,434 | 218 | 176 | 305 | 599 | 449 | 372 | 161 | 102 | 52 | Alive | Diseases of the genitourinary system | N00-N99 |
| 10 | 6 | 1 | 1 | 1 | 1 | - | - | - | - | Dead | | |
| 10,602 | - | 1 | 13 | 731 | 3,975 | 5,560 | 322 | - | - | Alive | Pregnancy, childbirth and the puerperium | O00-O99 |
| 1 | - | - | - | 1 | - | - | - | - | - | Dead | | |
| 1,283 | - | - | - | 1 | 3 | 12 | 2 | 4 | 1,261 | Alive | Certain conditions originating in the perinatal period | P00-P99 |
| 55 | - | - | - | - | - | - | - | - | 55 | Dead | | |
| 524 | 3 | 2 | 3 | 6 | 24 | 36 | 58 | 208 | 184 | Alive | () Congenital malformations, deformations and chromosomal abnormalities | Q00-Q99 |
| 19 | - | - | - | - | - | - | - | 3 | 16 | Dead | | |
| 2,505 | 221 | 203 | 274 | 385 | 351 | 392 | 249 | 292 | 138 | Alive | Symptoms, signs and abnormal clinical and laboratory findings not elsewhere classified | R00-R99 |
| 28 | 13 | 6 | 2 | - | 2 | - | 1 | 1 | 3 | Dead | | |
| 3,619 | 213 | 135 | 158 | 373 | 653 | 846 | 535 | 632 | 74 | Alive | Injury, poisoning and certain other consequences of external causes | S00-T98 |
| 33 | 7 | - | 5 | 5 | 5 | 7 | 1 | 1 | 2 | Dead | | |
| 12 | 4 | - | - | - | 1 | 3 | 2 | 1 | 1 | Alive | External causes of morbidity and mortality | V00-Y98 |
| - | - | - | - | - | - | - | - | - | - | Dead | | |
| 980 | 38 | 24 | 59 | 105 | 155 | 179 | 68 | 226 | 126 | Alive | Factors influencing health status and contact with health services | Z00-Z99 |
| - | - | - | - | - | - | - | - | - | - | Dead | | |
| 45,855 | 3,220 | 2,740 | 3,311 | 5,263 | 8,590 | 11,230 | 3,922 | 4,941 | 2,638 | Alive | Total | |
| 1,045 | 481 | 170 | 103 | 90 | 45 | 24 | 19 | 20 | 93 | Dead | | |
| 46,900 | 3,701 | 2,910 | 3,414 | 5,353 | 8,635 | 11,254 | 3,941 | 4,961 | 2,731 | Total | | |

Table 9.13
2005
Discharges by Discharge Status, Nationality and Department 2005

| <i>Grand Total</i> | <i>SCBU</i> | <i>Total</i> | <i>Dental</i> | <i>ICU</i> | <i>Neuros</i> | <i>Oncology</i> | <i>Ophthalmology</i> | <i>E.N.T.</i> | <i>Paediatrics</i> | <i>Obs. & Gyne.</i> | <i>Plastic Surg. Burns</i> | <i>Orthop & Fracture</i> | <i>Surgical</i> | <i>Medical</i> | <i>Nationality</i> | <i>Discharge Status</i> |
|--------------------|-------------|--------------|---------------|------------|---------------|-----------------|----------------------|---------------|--------------------|-------------------------|----------------------------|------------------------------|-----------------|----------------|--------------------|--|
| 36,126 | 702 | 35,424 | 273 | 3 | 1,917 | 2,223 | 882 | 2,966 | 3,968 | 9,592 | 428 | 1,793 | 4,481 | 6,898 | Bah | Routine discharge home |
| 8,735 | 164 | 8,571 | 76 | 2 | 631 | 107 | 184 | 314 | 524 | 2,379 | 149 | 710 | 1,371 | 2,124 | Non-Bah | |
| 44,861 | 866 | 43,995 | 349 | 5 | 2,548 | 2,330 | 1,066 | 3,280 | 4,492 | 11,971 | 577 | 2,503 | 5,852 | 9,022 | Total | |
| 615 | - | 615 | 1 | - | 22 | 51 | 3 | 7 | 52 | 283 | 7 | 18 | 55 | 116 | Bah | Left against medical advise |
| 132 | - | 132 | - | 3 | 4 | 3 | - | 3 | 10 | 53 | 1 | 6 | 17 | 32 | Non-Bah | |
| 747 | - | 747 | 1 | 3 | 26 | 54 | 3 | 10 | 62 | 336 | 8 | 24 | 72 | 148 | Total | |
| 136 | 13 | 123 | - | 11 | 6 | 17 | - | - | 6 | - | 1 | 2 | 1 | 79 | Bah | 48 |
| 28 | 6 | 22 | - | 2 | 4 | 2 | - | - | 2 | - | 1 | - | 1 | 10 | Non-Bah | Died before |
| 164 | 19 | 145 | - | 13 | 10 | 19 | - | - | 8 | - | 2 | 2 | 2 | 89 | Total | 48 hours |
| 797 | 48 | 749 | - | 85 | 80 | 121 | - | 4 | 34 | - | 4 | 10 | 49 | 362 | Bah | 48 |
| 84 | 3 | 81 | - | 11 | 20 | 11 | - | - | 3 | - | 1 | 3 | 4 | 28 | Non-Bah | Died after 48 |
| 881 | 51 | 830 | - | 96 | 100 | 132 | - | 4 | 37 | - | 5 | 13 | 53 | 390 | Total | hours |
| 197 | 1 | 196 | - | 1 | 2 | 2 | 3 | - | 2 | 32 | - | 1 | 6 | 147 | Bah | Transferred to other hospitals |
| 34 | - | 34 | - | - | - | - | 1 | - | - | 9 | - | - | - | 24 | Non-Bah | |
| 231 | 1 | 230 | - | 1 | 2 | 2 | 4 | - | 2 | 41 | - | 1 | 6 | 171 | Total | |
| 1 | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | Bah | Sponsored care outside Bahrain other hospitals |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | Non-Bah | |
| 1 | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | Total | |
| 13 | - | 13 | - | - | - | 2 | - | - | - | 1 | 1 | 1 | 2 | 6 | Bah | Undetermined |
| 2 | - | 2 | - | - | 2 | - | - | - | - | - | - | - | - | - | Non-Bah | |
| 15 | - | 15 | - | - | 2 | 2 | - | - | - | 1 | 1 | 1 | 2 | 6 | Total | |
| 37,885 | 764 | 37,121 | 274 | 100 | 2,027 | 2,416 | 888 | 2,977 | 4,062 | 9,909 | 441 | 1,825 | 4,594 | 7,608 | Bah | Total |
| 9,015 | 173 | 8,842 | 76 | 18 | 661 | 123 | 185 | 317 | 539 | 2,441 | 152 | 719 | 1,393 | 2,218 | Non-Bah | |
| 46,900 | 937 | 45,963 | 350 | 118 | 2,688 | 2,539 | 1,073 | 3,294 | 4,601 | 12,350 | 593 | 2,544 | 5,987 | 9,826 | Total | |

Table 9.14

2005
Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|-----|-------|-------|-------|--------|------------|-----|-------|-------|-------|--------|-------------|---------------------|---|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 1,999 | 9 | 44 | 1,550 | 395 | 1 | 1,202 | 8 | 85 | 859 | 250 | - | 3,201 | DISCH | Sickle-cell disorders | D57 |
| 9,255 | 49 | 201 | 7,377 | 1,626 | 2 | 5,610 | 48 | 433 | 4,205 | 924 | - | 14,865 | DOC | | |
| 4.6 | 5.4 | 4.6 | 4.8 | 4.1 | 2.0 | 4.7 | 6.0 | 5.1 | 4.9 | 3.7 | - | 4.6 | ALS | | |
| NA | NA | NA | NA | NA | NA | 2,986 | - | 15 | 2,970 | 1 | - | 2,986 | DISCH | Single spontaneous delivery | O80 |
| NA | NA | NA | NA | NA | NA | 8,036 | - | 54 | 7,980 | 2 | - | 8,036 | DOC | | |
| NA | NA | NA | NA | NA | NA | 2.7 | - | 3.6 | 2.7 | 2.0 | - | 2.7 | ALS | | |
| NA | NA | NA | NA | NA | NA | 1,494 | 1 | 24 | 1,469 | - | - | 1,494 | DISCH | - | O03 |
| NA | NA | NA | NA | NA | NA | 2,659 | 3 | 34 | 2,622 | - | - | 2,659 | DOC | | |
| NA | NA | NA | NA | NA | NA | 1.8 | 3.0 | 1.4 | 1.8 | - | - | 1.8 | ALS | | |
| 699 | - | 7 | 114 | 578 | - | 509 | - | 3 | 108 | 398 | - | 1,208 | DISCH | Chronic diseases of tonsils and adenoids | J35 |
| 2,053 | - | 22 | 480 | 1,551 | - | 1,476 | - | 18 | 382 | 1,076 | - | 3,529 | DOC | | |
| 2.9 | - | 3.1 | 4.2 | 2.7 | - | 2.9 | - | 6.0 | 3.5 | 2.7 | - | 2.9 | ALS | | |
| NA | NA | NA | NA | NA | NA | 1,186 | - | 2 | 1,184 | - | - | 1,186 | DISCH | Perineal laceration during delivery | O70 |
| NA | NA | NA | NA | NA | NA | 2,886 | - | 4 | 2,882 | - | - | 2,886 | DOC | | |
| NA | NA | NA | NA | NA | NA | 2.4 | - | 2.0 | 2.4 | - | - | 2.4 | ALS | | |
| 488 | 32 | 26 | 75 | 250 | 105 | 497 | 42 | 25 | 108 | 249 | 73 | 985 | DISCH | Diarrhoea and gastroenteritis of presumed infectious origin | A09 |
| 1,401 | 107 | 78 | 245 | 658 | 313 | 1,550 | 237 | 109 | 330 | 650 | 224 | 2,951 | DOC | | |
| 2.9 | 3.3 | 3.0 | 3.3 | 2.6 | 3.0 | 3.1 | 5.6 | 4.4 | 3.1 | 2.6 | 3.1 | 3.0 | ALS | | |

Principle Diagnosis: the leading 100 diagnosis are listed and the total number of discharges made up by the last entry in the table - "others".

100

DISCH : Discharges

DOC : Days of Care (by number of discharges)

ALS : Average Length of Stay

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|------|-------|-------|------|--------|------------|-----|-------|-------|------|--------|-------------|---------------------|--|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 569 | 21 | 44 | 307 | 184 | 13 | 161 | 6 | 13 | 65 | 64 | 13 | 730 | DISCH | | S09 |
| 3,546 | 244 | 589 | 2,354 | 335 | 24 | 420 | 20 | 33 | 203 | 143 | 21 | 3,966 | DOC | Other and unspecified injuries of head | |
| 6.2 | 11.6 | 13.4 | 7.7 | 1.8 | 1.8 | 2.6 | 3.3 | 2.5 | 3.1 | 2.2 | 1.6 | 5.4 | ALS | | |
| NA | NA | NA | NA | NA | NA | 699 | - | 10 | 689 | - | - | 699 | DISCH | | O34 |
| NA | NA | NA | NA | NA | NA | 4,408 | - | 47 | 4,361 | - | - | 4,408 | DOC | Maternal care for known or suspected abnormality of pelvic organs | |
| NA | NA | NA | NA | NA | NA | 6.3 | - | 4.7 | 6.3 | - | - | 6.3 | ALS | | |
| 411 | 31 | 179 | 195 | 6 | - | 258 | 57 | 142 | 55 | 4 | - | 669 | DISCH | | R07 |
| 1,112 | 112 | 488 | 498 | 14 | - | 762 | 204 | 408 | 142 | 8 | - | 1,874 | DOC | Pain in throat and chest | |
| 2.7 | 3.6 | 2.7 | 2.6 | 2.3 | - | 3.0 | 3.6 | 2.9 | 2.6 | 2.0 | - | 2.8 | ALS | | |
| 350 | NA | NA | NA | NA | 350 | 302 | NA | NA | NA | NA | 302 | 652 | DISCH | | P59 |
| 1,935 | NA | NA | NA | NA | 1,935 | 1,497 | NA | NA | NA | NA | 1,497 | 3,432 | DOC | Neonatal jaundice from other and unspecified causes | |
| 5.5 | NA | NA | NA | NA | 5.5 | 5.0 | NA | NA | NA | NA | 5.0 | 5.3 | ALS | | |
| 387 | 101 | 200 | 86 | - | - | 254 | 106 | 134 | 13 | 1 | - | 641 | DISCH | | I20 |
| 1,497 | 396 | 697 | 404 | - | - | 1,150 | 515 | 589 | 42 | 4 | - | 2,647 | DOC | Angina pectoris | |
| 3.9 | 3.9 | 3.5 | 4.7 | - | - | 4.5 | 4.9 | 4.4 | 3.2 | 4.0 | - | 4.1 | ALS | | |
| NA | NA | NA | NA | NA | NA | 629 | - | 4 | 625 | - | - | 629 | DISCH | | O99 |
| NA | NA | NA | NA | NA | NA | 2,891 | - | 19 | 2,872 | - | - | 2,891 | DOC | | |
| NA | NA | NA | NA | NA | NA | 4.6 | - | 4.8 | 4.6 | - | - | 4.6 | ALS | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium | |
| 441 | 1 | 16 | 333 | 91 | - | 175 | 1 | 10 | 118 | 46 | - | 616 | DISCH | | K35 |
| 2,108 | 5 | 88 | 1,582 | 433 | - | 815 | 13 | 57 | 525 | 220 | - | 2,923 | DOC | Acute appendicitis | |
| 5 | 5 | 6 | 5 | 5 | - | 5 | 13 | 6 | 4 | 5 | - | 5 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|-------|-------|-------|-------|--------|------------|-------|-------|-------|------|--------|----------------|---------------------|---|---------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| NA | NA | NA | NA | NA | NA | 596 | - | 3 | 593 | - | - | 596 | DISCH | Maternal care for other known or suspected fetal problems | O36 |
| NA | NA | NA | NA | NA | NA | 2,846 | - | 35 | 2,811 | - | - | 2,846 | DOC | | |
| NA | NA | NA | NA | NA | NA | 4.8 | - | 11.7 | 4.7 | - | - | 4.8 | ALS | | |
| 312 | 1 | 1 | 157 | 144 | 9 | 234 | 1 | 14 | 115 | 100 | 4 | 546 | DISCH | Acute tonsillitis | J03 |
| 900 | 3 | 4 | 447 | 418 | 28 | 649 | 3 | 47 | 291 | 300 | 8 | 1,549 | DOC | | |
| 2.9 | 3.0 | 4.0 | 2.8 | 2.9 | 3.1 | 2.8 | 3.0 | 3.4 | 2.5 | 3.0 | 2.0 | 2.8 | ALS | | |
| 304 | 49 | 40 | 97 | 75 | 43 | 220 | 50 | 27 | 49 | 68 | 26 | 524 | DISCH | Pneumonia, organism unspecified | J18 |
| 2,191 | 442 | 364 | 670 | 418 | 297 | 1,954 | 555 | 266 | 329 | 381 | 423 | 4,145 | DOC | | |
| 7.2 | 9.0 | 9.1 | 6.9 | 5.6 | 6.9 | 8.9 | 11.1 | 9.9 | 6.7 | 5.6 | 16.3 | 7.9 | ALS | | |
| 266 | 150 | 89 | 22 | 5 | - | 245 | 145 | 90 | 9 | 1 | - | 511 | DISCH | Other cataract | H26 |
| 1,464 | 867 | 451 | 119 | 27 | - | 1,326 | 808 | 462 | 49 | 7 | - | 2,790 | DOC | | |
| 5.5 | 5.8 | 5.1 | 5.4 | 5.4 | - | 5.4 | 5.6 | 5.1 | 5.4 | 7.0 | - | 5.5 | ALS | | |
| 167 | 15 | 20 | 78 | 54 | - | 334 | 14 | 28 | 248 | 41 | 3 | 501 | DISCH | Abdominal and pelvic pain | R10 |
| 645 | 125 | 92 | 313 | 115 | - | 1,254 | 109 | 137 | 893 | 111 | 4 | 1,899 | DOC | | |
| 3.9 | 8.3 | 4.6 | 4.0 | 2.1 | - | 3.8 | 7.8 | 4.9 | 3.6 | 2.7 | 1.3 | 3.8 | ALS | | |
| 301 | 98 | 151 | 50 | 2 | - | 161 | 62 | 67 | 28 | 4 | - | 462 | DISCH | Non-insulin-dependent diabetes mellitus | E11 |
| 4,494 | 1,611 | 2,432 | 447 | 4 | - | 2,047 | 937 | 814 | 286 | 10 | - | 6,541 | DOC | | |
| 14.9 | 16.4 | 16.1 | 8.9 | 2.0 | - | 12.7 | 15.1 | 12.1 | 10.2 | 2.5 | - | 14.2 | ALS | | |
| 227 | 155 | 32 | 20 | 5 | 15 | 226 | 167 | 27 | 13 | 5 | 14 | 453 | DISCH | Other septicaemia | A41 |
| 8,529 | 3,478 | 398 | 935 | 3,616 | 102 | 3,953 | 2,894 | 615 | 306 | 44 | 94 | 12,482 | DOC | | |
| 37.6 | 22.4 | 12.4 | 46.8 | 723.2 | 6.8 | 17.5 | 17.3 | 22.8 | 23.5 | 8.8 | 6.7 | 27.6 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|------|-------|-------|------|--------|------------|-----|-------|-------|------|--------|-------------|---------------------|--|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 391 | 57 | 97 | 142 | 52 | 43 | 24 | - | 5 | 2 | 10 | 7 | 415 | DISCH | | K40 |
| 1,859 | 402 | 539 | 702 | 94 | 122 | 79 | - | 30 | 16 | 18 | 15 | 1,938 | DOC | Inguinal hernia | |
| 4.8 | 7.1 | 5.6 | 4.9 | 1.8 | 2.8 | 3.3 | - | 6.0 | 8.0 | 1.8 | 2.1 | 4.7 | ALS | | |
| 119 | 4 | 32 | 68 | 15 | - | 285 | 25 | 101 | 152 | 7 | - | 404 | DISCH | | K80 |
| 953 | 83 | 219 | 536 | 115 | - | 1,653 | 186 | 668 | 751 | 48 | - | 2,606 | DOC | Cholelithiasis | |
| 8.0 | 20.8 | 6.8 | 7.9 | 7.7 | - | 5.8 | 7.4 | 6.6 | 4.9 | 6.9 | - | 6.5 | ALS | | |
| 337 | 57 | 181 | 99 | - | - | 65 | 34 | 27 | 4 | - | - | 402 | DISCH | | I21 |
| 1,897 | 321 | 1,051 | 525 | - | - | 372 | 221 | 134 | 17 | - | - | 2,269 | DOC | Acute myocardial infarction | |
| 5.6 | 5.6 | 5.8 | 5.3 | - | - | 5.7 | 6.5 | 5.0 | 4.3 | - | - | 5.6 | ALS | | |
| 227 | 38 | 123 | 65 | 1 | - | 169 | 74 | 70 | 24 | 1 | - | 396 | DISCH | | I10 |
| 841 | 198 | 405 | 237 | 1 | - | 616 | 294 | 238 | 76 | 8 | - | 1,457 | DOC | Essential (primary) hypertension | |
| 3.7 | 5.2 | 3.3 | 3.6 | 1.0 | - | 3.6 | 4.0 | 3.4 | 3.2 | 8.0 | - | 3.7 | ALS | | |
| 191 | 18 | 35 | 33 | 77 | 28 | 205 | 42 | 68 | 46 | 41 | 8 | 396 | DISCH | | J46 |
| 870 | 106 | 290 | 126 | 229 | 119 | 925 | 261 | 284 | 209 | 141 | 30 | 1,795 | DOC | Status asthmaticus | |
| 4.6 | 5.9 | 8.3 | 3.8 | 3.0 | 4.3 | 4.5 | 6.2 | 4.2 | 4.5 | 3.4 | 3.8 | 4.5 | ALS | | |
| 198 | 4 | 13 | 23 | 120 | 38 | 156 | 2 | 9 | 19 | 80 | 46 | 354 | DISCH | | Z01 |
| 382 | 39 | 100 | 52 | 142 | 49 | 320 | 5 | 40 | 129 | 95 | 51 | 702 | DOC | Other special examinations and investigations of persons without complaint or reported diagnosis | |
| 1.9 | 9.8 | 7.7 | 2.3 | 1.2 | 1.3 | 2.1 | 2.5 | 4.4 | 6.8 | 1.2 | 1.1 | 2.0 | ALS | | |
| 176 | 15 | 13 | 66 | 51 | 31 | 144 | 14 | 12 | 54 | 44 | 20 | 320 | DISCH | | R50 |
| 882 | 66 | 75 | 373 | 246 | 122 | 761 | 122 | 49 | 324 | 196 | 70 | 1,643 | DOC | Fever of unknown origin | |
| 5.0 | 4.4 | 5.8 | 5.7 | 4.8 | 3.9 | 5.3 | 8.7 | 4.1 | 6.0 | 4.5 | 3.5 | 5.1 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|------|-------|-------|------|--------|------------|------|-------|-------|------|--------|-------------|---------------------|---|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 118 | 48 | 14 | 27 | 10 | 19 | 197 | 46 | 43 | 56 | 39 | 13 | 315 | DISCH | Other disorders of urinary system | N39 |
| 735 | 382 | 81 | 113 | 45 | 114 | 1,255 | 374 | 326 | 300 | 164 | 91 | 1,990 | DOC | | |
| 6.2 | 8.0 | 5.8 | 4.2 | 4.5 | 6.0 | 6.4 | 8.1 | 7.6 | 5.4 | 4.2 | 7.0 | 6.3 | ALS | | |
| 182 | 10 | 23 | 90 | 45 | 14 | 126 | 7 | 19 | 80 | 19 | 1 | 308 | DISCH | Complications of procedures, not elsewhere classified | T81 |
| 1,074 | 138 | 192 | 561 | 162 | 21 | 766 | 108 | 180 | 413 | 59 | 6 | 1,840 | DOC | | |
| 5.9 | 13.8 | 8.3 | 6.2 | 3.6 | 1.5 | 6.1 | 15.4 | 9.5 | 5.2 | 3.1 | 6.0 | 6.0 | ALS | | |
| 194 | 2 | 23 | 162 | 7 | - | 112 | - | 8 | 98 | 6 | - | 306 | DISCH | Other disorders of nose and nasal sinuses | J34 |
| 704 | 9 | 82 | 592 | 21 | - | 377 | - | 28 | 334 | 15 | - | 1,081 | DOC | | |
| 3.6 | 4.5 | 3.6 | 3.7 | 3.0 | - | 3.4 | - | 3.5 | 3.4 | 2.5 | - | 3.5 | ALS | | |
| 154 | 97 | 48 | 9 | - | - | 147 | 96 | 47 | 4 | - | - | 301 | DISCH | Hypertensive heart disease | I11 |
| 860 | 545 | 275 | 40 | - | - | 1,060 | 759 | 267 | 34 | - | - | 1,920 | DOC | | |
| 5.6 | 5.6 | 5.7 | 4.4 | - | - | 7.2 | 7.9 | 5.7 | 8.5 | - | - | 6.4 | ALS | | |
| NA | NA | NA | NA | NA | NA | 296 | - | - | 296 | - | - | 296 | DISCH | Infections of genitourinary tract in pregnancy | O23 |
| NA | NA | NA | NA | NA | NA | 1,111 | - | - | 1,111 | - | - | 1,111 | DOC | | |
| NA | NA | NA | NA | NA | NA | 3.8 | - | - | 3.8 | - | - | 3.8 | ALS | | |
| 228 | 10 | 68 | 147 | 3 | - | 67 | 3 | 32 | 29 | 3 | - | 295 | DISCH | Calculus of kidney and ureter | N20 |
| 1,137 | 67 | 401 | 657 | 12 | - | 382 | 31 | 201 | 138 | 12 | - | 1,519 | DOC | | |
| 5.0 | 6.7 | 5.9 | 4.5 | 4.0 | - | 5.7 | 10.3 | 6.3 | 4.8 | 4.0 | - | 5.1 | ALS | | |
| NA | NA | NA | NA | NA | NA | 292 | - | - | 292 | - | - | 292 | DISCH | Haemorrhage in early pregnancy | O20 |
| NA | NA | NA | NA | NA | NA | 1,350 | - | - | 1,350 | - | - | 1,350 | DOC | | |
| NA | NA | NA | NA | NA | NA | 4.6 | - | - | 4.6 | - | - | 4.6 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|------|-------|-------|------|--------|------------|------|-------|-------|------|--------|-------------|---------------------|---|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 152 | 17 | 39 | 51 | 42 | 3 | 120 | 27 | 22 | 39 | 31 | 1 | 272 | DISCH | Gastritis and duodenitis | K29 |
| 569 | 77 | 250 | 133 | 102 | 7 | 414 | 117 | 107 | 105 | 84 | 1 | 983 | DOC | | |
| 3.7 | 4.5 | 6.4 | 2.6 | 2.4 | 2.3 | 3.5 | 4.3 | 4.9 | 2.7 | 2.7 | 1.0 | 3.6 | ALS | | |
| 133 | 18 | 33 | 78 | 4 | - | 139 | 20 | 65 | 51 | 3 | - | 272 | DISCH | Dorsalgia | M54 |
| 774 | 145 | 163 | 443 | 23 | - | 942 | 211 | 457 | 257 | 17 | - | 1,716 | DOC | | |
| 5.8 | 8.1 | 4.9 | 5.7 | 5.8 | - | 6.8 | 10.6 | 7.0 | 5.0 | 5.7 | - | 6.3 | ALS | | |
| 205 | 7 | 24 | 146 | 28 | - | 65 | 6 | 18 | 35 | 6 | - | 270 | DISCH | Fracture of lower leg, including ankle | S82 |
| 1,668 | 83 | 315 | 1,183 | 87 | - | 506 | 62 | 151 | 269 | 24 | - | 2,174 | DOC | | |
| 8.1 | 11.9 | 13.1 | 8.1 | 3.1 | - | 7.8 | 10.3 | 8.4 | 7.7 | 4.0 | - | 8.1 | ALS | | |
| 128 | 49 | 63 | 16 | - | - | 135 | 62 | 48 | 25 | - | - | 263 | DISCH | Hypertensive renal disease | I12 |
| 1,359 | 606 | 619 | 134 | - | - | 1,158 | 628 | 384 | 146 | - | - | 2,517 | DOC | | |
| 10.6 | 12.4 | 9.8 | 8.4 | - | - | 8.6 | 10.1 | 8.0 | 5.8 | - | - | 9.6 | ALS | | |
| NA | NA | NA | NA | NA | NA | 259 | - | 6 | 253 | - | - | 259 | DISCH | Unspecified maternal hypertension | O16 |
| NA | NA | NA | NA | NA | NA | 1,157 | - | 30 | 1,127 | - | - | 1,157 | DOC | | |
| NA | NA | NA | NA | NA | NA | 4.5 | - | 5.0 | 4.5 | - | - | 4.5 | ALS | | |
| 173 | 125 | 43 | 3 | 1 | 1 | 70 | 51 | 15 | - | 2 | 2 | 243 | DISCH | Other chronic obstructive pulmonary disease | J44 |
| 1,305 | 926 | 336 | 10 | 3 | 30 | 831 | 662 | 138 | - | 13 | 18 | 2,136 | DOC | | |
| 7.5 | 7.4 | 7.8 | 3.3 | 3.0 | 30.0 | 11.9 | 13.0 | 9.2 | - | 6.5 | 9.0 | 8.8 | ALS | | |
| 238 | - | 3 | 233 | 1 | 1 | 3 | - | 1 | 2 | - | - | 241 | DISCH | Internal derangement of knee | M23 |
| 911 | - | 10 | 897 | 1 | 3 | 28 | - | 18 | 10 | - | - | 939 | DOC | | |
| 3.8 | - | 3.3 | 3.8 | 1.0 | 3.0 | 9.3 | - | 18.0 | 5.0 | - | - | 3.9 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|------|-------|-------|------|--------|------------|-------|-------|-------|------|--------|-------------|---------------------|--|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 143 | 61 | 15 | 41 | 26 | - | 94 | 77 | 7 | 5 | 5 | - | 237 | DISCH | Fracture of femur | S72 |
| 2,127 | 934 | 264 | 583 | 346 | - | 1,340 | 1,131 | 81 | 75 | 53 | - | 3,467 | DOC | | |
| 14.9 | 15.3 | 17.6 | 14.2 | 13.3 | - | 14.3 | 14.7 | 11.6 | 15.0 | 10.6 | - | 14.6 | ALS | | |
| 131 | 4 | 12 | 26 | 69 | 20 | 100 | 6 | 6 | 16 | 56 | 16 | 231 | DISCH | Convulsions, not elsewhere classified | R56 |
| 364 | 12 | 32 | 70 | 186 | 64 | 390 | 109 | 18 | 66 | 144 | 53 | 754 | DOC | | |
| 2.8 | 3.0 | 2.7 | 2.7 | 2.7 | 3.2 | 3.9 | 18.2 | 3.0 | 4.1 | 2.6 | 3.3 | 3.3 | ALS | | |
| 167 | 16 | 44 | 107 | - | - | 60 | 6 | 19 | 35 | - | - | 227 | DISCH | Haemorrhoids | I84 |
| 1,106 | 141 | 325 | 640 | - | - | 387 | 48 | 150 | 189 | - | - | 1,493 | DOC | | |
| 6.6 | 8.8 | 7.4 | 6.0 | - | - | 6.5 | 8.0 | 7.9 | 5.4 | - | - | 6.6 | ALS | | |
| 112 | 34 | 20 | 44 | 5 | 9 | 114 | 49 | 22 | 36 | 3 | 4 | 226 | DISCH | Other respiratory disorders | J98 |
| 1,224 | 324 | 200 | 306 | 52 | 342 | 960 | 310 | 341 | 231 | 8 | 70 | 2,184 | DOC | | |
| 10.9 | 9.5 | 10.0 | 7.0 | 10.4 | 38.0 | 8.4 | 6.3 | 15.5 | 6.4 | 2.7 | 17.5 | 9.7 | ALS | | |
| 123 | 3 | 15 | 54 | 36 | 15 | 91 | 2 | 9 | 45 | 28 | 7 | 214 | DISCH | () Insulin-dependent diabetes mellitus | E10 |
| 685 | 10 | 104 | 263 | 193 | 115 | 439 | 24 | 54 | 198 | 116 | 47 | 1,124 | DOC | | |
| 5.6 | 3.3 | 6.9 | 4.9 | 5.4 | 7.7 | 4.8 | 12.0 | 6.0 | 4.4 | 4.1 | 6.7 | 5.3 | ALS | | |
| NA | NA | NA | NA | NA | NA | 214 | - | 6 | 208 | - | - | 214 | DISCH | Other abnormal products of conception | O02 |
| NA | NA | NA | NA | NA | NA | 594 | - | 27 | 567 | - | - | 594 | DOC | | |
| NA | NA | NA | NA | NA | NA | 2.8 | - | 4.5 | 2.7 | - | - | 2.8 | ALS | | |
| 121 | 12 | 26 | 59 | 24 | - | 89 | 12 | 23 | 25 | 28 | 1 | 210 | DISCH | Cellulitis | L03 |
| 557 | 58 | 144 | 285 | 70 | - | 521 | 101 | 209 | 125 | 83 | 3 | 1,078 | DOC | | |
| 4.6 | 4.8 | 5.5 | 4.8 | 2.9 | - | 5.9 | 8.4 | 9.1 | 5.0 | 3.0 | 3.0 | 5.1 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|------|-------|-------|------|--------|------------|------|-------|-------|------|--------|-------------|---------------------|--|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 129 | 41 | 33 | 43 | 10 | 2 | 80 | 40 | 10 | 30 | - | - | 209 | DISCH | | K92 |
| 684 | 340 | 178 | 129 | 33 | 4 | 451 | 259 | 27 | 165 | - | - | 1,135 | DOC | Other diseases of digestive system | |
| 5.3 | 8.3 | 5.4 | 3.0 | 3.3 | 2.0 | 5.6 | 6.5 | 2.7 | 5.5 | - | - | 5.4 | ALS | | |
| 105 | 28 | 37 | 39 | 1 | - | 96 | 50 | 40 | 6 | - | - | 201 | DISCH | | I48 |
| 510 | 214 | 166 | 127 | 3 | - | 557 | 294 | 238 | 25 | - | - | 1,067 | DOC | Atrial fibrillation and flutter | |
| 4.9 | 7.6 | 4.5 | 3.3 | 3.0 | - | 5.8 | 5.9 | 6.0 | 4.2 | - | - | 5.3 | ALS | | |
| 134 | 10 | 32 | 65 | 23 | 4 | 67 | 2 | 19 | 28 | 18 | - | 201 | DISCH | | L02 |
| 737 | 80 | 203 | 318 | 125 | 11 | 366 | 11 | 120 | 160 | 75 | - | 1,103 | DOC | Cutaneous abscess, furuncle and carbuncle | |
| 5.5 | 8.0 | 6.3 | 4.9 | 5.4 | 2.8 | 5.5 | 5.5 | 6.3 | 5.7 | 4.2 | - | 5.5 | ALS | | |
| NA | NA | NA | NA | NA | NA | 199 | 6 | 99 | 93 | - | 1 | 199 | DISCH | | N93 |
| NA | NA | NA | NA | NA | NA | 799 | 29 | 429 | 340 | - | 1 | 799 | DOC | Other abnormal uterine and vaginal bleeding | |
| NA | NA | NA | NA | NA | NA | 4.0 | 4.8 | 4.3 | 3.7 | - | 1.0 | 4.0 | ALS | | |
| 1 | 1 | - | - | - | - | 197 | 31 | 102 | 64 | - | - | 198 | DISCH | | C50 |
| 25 | 25 | - | - | - | - | 2,425 | 432 | 1,250 | 743 | - | - | 2,450 | DOC | Malignant neoplasm of breast | |
| 25.0 | 25.0 | - | - | - | - | 12.3 | 13.9 | 12.3 | 11.6 | - | - | 12.4 | ALS | | |
| NA | NA | NA | NA | NA | NA | 197 | 1 | 83 | 108 | 5 | - | 197 | DISCH | | N92 |
| NA | NA | NA | NA | NA | NA | 718 | 3 | 328 | 363 | 24 | - | 718 | DOC | Excessive, frequent and irregular menstruation | |
| NA | NA | NA | NA | NA | NA | 3.6 | 3.0 | 4.0 | 3.4 | 4.8 | - | 3.6 | ALS | | |
| 139 | 5 | 30 | 101 | 3 | - | 57 | 3 | 17 | 36 | - | 1 | 196 | DISCH | | K60 |
| 743 | 34 | 165 | 536 | 8 | - | 311 | 24 | 103 | 180 | - | 4 | 1,054 | DOC | Fissure and fistula of anal and rectal regions | |
| 5.3 | 6.8 | 5.5 | 5.3 | 2.7 | - | 5.5 | 8.0 | 6.1 | 5.0 | - | 4.0 | 5.4 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|------|-------|-------|------|--------|------------|------|-------|-------|------|--------|-------------|---------------------|---|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 101 | 3 | 2 | 18 | 54 | 24 | 93 | 3 | 3 | 12 | 45 | 30 | 194 | DISCH | | J06 |
| 320 | 11 | 10 | 51 | 181 | 67 | 252 | 12 | 6 | 33 | 128 | 73 | 572 | DOC | Acute upper respiratory infections of multiple and unspecified sites | |
| 3.2 | 3.7 | 5.0 | 2.8 | 3.4 | 2.8 | 2.7 | 4.0 | 2.0 | 2.8 | 2.8 | 2.4 | 2.9 | ALS | | |
| 93 | 28 | 31 | 33 | 1 | - | 94 | 32 | 38 | 20 | 4 | - | 187 | DISCH | | E14 |
| 581 | 231 | 178 | 167 | 5 | - | 608 | 233 | 187 | 164 | 24 | - | 1,189 | DOC | Unspecified diabetes mellitus | |
| 6.2 | 8.3 | 5.7 | 5.1 | 5.0 | - | 6.5 | 7.3 | 4.9 | 8.2 | 6.0 | - | 6.4 | ALS | | |
| 153 | - | 4 | 111 | 36 | 2 | 34 | 1 | 3 | 22 | 6 | 2 | 187 | DISCH | | S02 |
| 632 | - | 35 | 508 | 87 | 2 | 147 | 3 | 9 | 119 | 12 | 4 | 779 | DOC | Fracture of skull and facial bones | |
| 4.1 | - | 8.8 | 4.6 | 2.4 | 1.0 | 4.3 | 3.0 | 3.0 | 5.4 | 2.0 | 2.0 | 4.2 | ALS | | |
| NA | NA | NA | NA | NA | NA | 180 | - | 2 | 178 | - | - | 180 | DISCH | () | O24 |
| NA | NA | NA | NA | NA | NA | 952 | - | 22 | 930 | - | - | 952 | DOC | Diabetes mellitus in pregnancy | |
| NA | NA | NA | NA | NA | NA | 5.3 | - | 11.0 | 5.2 | - | - | 5.3 | ALS | | |
| 116 | 10 | 27 | 79 | - | - | 61 | 3 | 7 | 50 | - | 1 | 177 | DISCH | | A16 |
| 2,389 | 99 | 822 | 1,468 | - | - | 1,141 | 13 | 144 | 970 | - | 14 | 3,530 | DOC | Respiratory tuberculosis, not confirmed bacteriologically or histologically | |
| 20.6 | 9.9 | 30.4 | 18.6 | - | - | 18.7 | 4.3 | 20.6 | 19.4 | - | 14.0 | 19.9 | ALS | | |
| NA | NA | NA | NA | NA | NA | 177 | - | - | 177 | - | - | 177 | DISCH | | O47 |
| NA | NA | NA | NA | NA | NA | 504 | - | - | 504 | - | - | 504 | DOC | False labour | |
| NA | NA | NA | NA | NA | NA | 2.8 | - | - | 2.8 | - | - | 2.8 | ALS | | |
| 102 | 7 | 40 | 55 | - | - | 69 | 2 | 32 | 35 | - | - | 171 | DISCH | | M51 |
| 812 | 98 | 320 | 394 | - | - | 555 | 39 | 315 | 201 | - | - | 1,367 | DOC | Other intervertebral disc disorders | |
| 8.0 | 14.0 | 8.0 | 7.2 | - | - | 8.0 | 19.5 | 9.8 | 5.7 | - | - | 8.0 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|-----|-------|-------|------|--------|------------|------|-------|-------|------|--------|-------------|---------------------|---|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 108 | 3 | 27 | 78 | - | - | 61 | 3 | 17 | 39 | 2 | - | 169 | DISCH | | N23 |
| 336 | 16 | 83 | 237 | - | - | 302 | 17 | 101 | 180 | 4 | - | 638 | DOC | Unspecified renal colic | |
| 3.1 | 5.3 | 3.1 | 3.0 | - | - | 5.0 | 5.7 | 5.9 | 4.6 | 2.0 | - | 3.8 | ALS | | |
| NA | NA | NA | NA | NA | NA | 165 | 1 | 12 | 146 | 6 | - | 165 | DISCH | | N83 |
| NA | NA | NA | NA | NA | NA | 847 | 6 | 81 | 723 | 37 | - | 847 | DOC | Noninflammatory disorders of ovary, fallopian tube and broad ligament | |
| NA | NA | NA | NA | NA | NA | 5.1 | 6.0 | 6.8 | 5.0 | 6.2 | - | 5.1 | ALS | | |
| 99 | 5 | 6 | 60 | 27 | 1 | 65 | 4 | 5 | 32 | 23 | 1 | 164 | DISCH | | G40 |
| 301 | 18 | 20 | 200 | 62 | 1 | 239 | 43 | 17 | 117 | 58 | 4 | 540 | DOC | Epilepsy | |
| 3.0 | 3.6 | 3.3 | 3.3 | 2.3 | 1.0 | 3.7 | 10.8 | 3.4 | 3.7 | 2.5 | 4.0 | 3.3 | ALS | | |
| 97 | 36 | 45 | 16 | - | - | 64 | 39 | 20 | 5 | - | - | 161 | DISCH | | I64 |
| 781 | 281 | 405 | 95 | - | - | 1,156 | 964 | 127 | 65 | - | - | 1,937 | DOC | Stroke, not specified as haemorrhage or infarction | |
| 8.1 | 7.8 | 9.0 | 5.9 | - | - | 18.1 | 24.7 | 6.4 | 13.0 | - | - | 12.0 | ALS | | |
| 125 | 1 | 17 | 75 | 32 | - | 30 | 5 | 4 | 16 | 5 | - | 155 | DISCH | | S52 |
| 567 | 3 | 101 | 391 | 72 | - | 175 | 18 | 31 | 107 | 19 | - | 742 | DOC | Fracture of forearm | |
| 4.5 | 3.0 | 5.9 | 5.2 | 2.3 | - | 5.8 | 3.6 | 7.8 | 6.7 | 3.8 | - | 4.8 | ALS | | |
| NA | NA | NA | NA | NA | NA | 151 | - | - | 151 | - | - | 151 | DISCH | | O32 |
| NA | NA | NA | NA | NA | NA | 795 | - | - | 795 | - | - | 795 | DOC | Maternal care for known or suspected malpresentation of fetus | |
| NA | NA | NA | NA | NA | NA | 5.3 | - | - | 5.3 | - | - | 5.3 | ALS | | |
| 97 | 55 | 34 | 5 | 2 | 1 | 44 | 36 | 3 | 1 | 4 | - | 141 | DISCH | | I50 |
| 649 | 372 | 195 | 52 | 23 | 7 | 293 | 248 | 14 | 4 | 27 | - | 942 | DOC | Heart failure | |
| 6.7 | 6.8 | 5.7 | 10.4 | 11.5 | 7.0 | 6.7 | 6.9 | 4.7 | 4.0 | 6.8 | - | 6.7 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|-----|-------|-------|------|--------|------------|------|-------|-------|------|--------|----------------|---------------------|---|---------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 110 | 15 | 22 | 72 | 1 | - | 23 | 9 | 10 | 4 | - | - | 133 | DISCH | | K26 |
| 562 | 93 | 114 | 353 | 2 | - | 135 | 72 | 48 | 15 | - | - | 697 | DOC | Duodenal ulcer | |
| 5.1 | 6.2 | 5.2 | 4.9 | 2.0 | - | 5.9 | 8.0 | 4.8 | 3.8 | - | - | 5.2 | ALS | | |
| 64 | 3 | 6 | 19 | 36 | - | 64 | 3 | 8 | 1 | 48 | 4 | 128 | DISCH | [] | C91 |
| 710 | 23 | 62 | 258 | 367 | - | 580 | 21 | 117 | 6 | 361 | 75 | 1,290 | DOC | Lymphoid leukaemia | |
| 11.1 | 7.7 | 10.3 | 13.6 | 10.2 | - | 9.1 | 7.0 | 14.6 | 6.0 | 7.5 | 18.8 | 10.1 | ALS | | |
| NA | NA | NA | NA | NA | NA | 127 | - | 1 | 126 | - | - | 127 | DISCH | | O33 |
| NA | NA | NA | NA | NA | NA | 694 | - | 5 | 689 | - | - | 694 | DOC | Maternal care for known or suspected disproportion | |
| NA | NA | NA | NA | NA | NA | 5.5 | - | 5.0 | 5.5 | - | - | 5.5 | ALS | | |
| 81 | 1 | 4 | 17 | 50 | 9 | 42 | - | 7 | 16 | 15 | 4 | 123 | DISCH | | H66 |
| 306 | 3 | 12 | 132 | 135 | 24 | 123 | - | 19 | 44 | 51 | 9 | 429 | DOC | Suppurative and unspecified otitis media | |
| 3.8 | 3.0 | 3.0 | 7.8 | 2.7 | 2.7 | 2.9 | - | 2.7 | 2.8 | 3.4 | 2.3 | 3.5 | ALS | | |
| 81 | 33 | 33 | 15 | - | - | 42 | 21 | 17 | 4 | - | - | 123 | DISCH | | I25 |
| 409 | 211 | 132 | 66 | - | - | 560 | 481 | 68 | 11 | - | - | 969 | DOC | Chronic ischaemic heart disease | |
| 5.0 | 6.4 | 4.0 | 4.4 | - | - | 13.3 | 22.9 | 4.0 | 2.8 | - | - | 7.9 | ALS | | |
| 79 | - | 6 | 70 | 3 | - | 42 | 1 | 1 | 37 | 3 | - | 121 | DISCH | | L05 |
| 484 | - | 44 | 434 | 6 | - | 278 | 3 | 6 | 248 | 21 | - | 762 | DOC | Pilonidal cyst | |
| 6.1 | - | 7.3 | 6.2 | 2.0 | - | 6.6 | 3.0 | 6.0 | 6.7 | 7.0 | - | 6.3 | ALS | | |
| 58 | - | - | - | - | 58 | 62 | - | - | - | - | 62 | 120 | DISCH | | P07 |
| 1,127 | - | - | - | - | 1,127 | 1,052 | - | - | - | - | 1,052 | 2,179 | DOC | Disorders related to short gestation and low birth weight, not elsewhere classified | |
| 19.4 | - | - | - | - | 19.4 | 17.0 | - | - | - | - | 17.0 | 18.2 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|------|-------|-------|------|--------|------------|------|-------|-------|------|--------|-------------|---------------------|---|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 72 | 33 | 34 | 4 | 1 | - | 47 | 24 | 19 | 4 | - | - | 119 | DISCH | Cerebral infarction | I63 |
| 760 | 370 | 329 | 50 | 11 | - | 611 | 332 | 257 | 22 | - | - | 1,371 | DOC | | |
| 10.6 | 11.2 | 9.7 | 12.5 | 11.0 | - | 13.0 | 13.8 | 13.5 | 5.5 | - | - | 11.5 | ALS | | |
| 20 | - | 1 | 17 | 2 | - | 99 | - | - | 88 | 11 | - | 119 | DISCH | Poisoning by nonopioid analgesics, antipyretics and antirheumatics | T39 |
| 31 | - | 5 | 24 | 2 | - | 154 | - | - | 141 | 13 | - | 185 | DOC | | |
| 1.6 | - | 5.0 | 1.4 | 1.0 | - | 1.6 | - | - | 1.6 | 1.2 | - | 1.6 | ALS | | |
| NA | NA | NA | NA | NA | NA | 117 | - | 1 | 116 | - | - | 117 | DISCH | Ectopic pregnancy | O00 |
| NA | NA | NA | NA | NA | NA | 630 | - | 8 | 622 | - | - | 630 | DOC | | |
| NA | NA | NA | NA | NA | NA | 5.4 | - | 8.0 | 5.4 | - | - | 5.4 | ALS | | |
| 63 | 20 | 24 | 16 | 2 | 1 | 53 | 28 | 15 | 5 | - | 5 | 116 | DISCH | Cardiomyopathy | I42 |
| 402 | 175 | 131 | 86 | 7 | 3 | 406 | 271 | 69 | 27 | - | 39 | 808 | DOC | | |
| 6.4 | 8.8 | 5.5 | 5.4 | 3.5 | 3.0 | 7.7 | 9.7 | 4.6 | 5.4 | - | 7.8 | 7.0 | ALS | | |
| 83 | - | 5 | 68 | 10 | - | 31 | 2 | 7 | 17 | 5 | - | 114 | DISCH | Other orthopaedic follow-up care | Z47 |
| 296 | - | 13 | 262 | 21 | - | 126 | 15 | 21 | 62 | 28 | - | 422 | DOC | | |
| 3.6 | - | 2.6 | 3.9 | 2.1 | - | 4.1 | 7.5 | 3.0 | 3.6 | 5.6 | - | 3.7 | ALS | | |
| NA | NA | NA | NA | NA | NA | 112 | - | - | 112 | - | - | 112 | DISCH | Antepartum haemorrhage, not elsewhere classified | O46 |
| NA | NA | NA | NA | NA | NA | 512 | - | - | 512 | - | - | 512 | DOC | | |
| NA | NA | NA | NA | NA | NA | 4.6 | - | - | 4.6 | - | - | 4.6 | ALS | | |
| 69 | 15 | 9 | 39 | 5 | 1 | 42 | 7 | 4 | 30 | 1 | - | 111 | DISCH | Keratitis | H16 |
| 511 | 176 | 93 | 214 | 25 | 3 | 278 | 87 | 29 | 156 | 6 | - | 789 | DOC | | |
| 7.4 | 11.7 | 10.3 | 5.5 | 5.0 | 3.0 | 6.6 | 12.4 | 7.3 | 5.2 | 6.0 | - | 7.1 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|------|-------|-------|------|--------|------------|------|-------|-------|------|--------|-------------|---------------------|---|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 26 | 6 | 12 | 6 | 2 | - | 83 | 4 | 22 | 56 | 1 | - | 109 | DISCH | Umbilical hernia | K42 |
| 136 | 43 | 63 | 27 | 3 | - | 485 | 44 | 128 | 311 | 2 | - | 621 | DOC | | |
| 5.2 | 7.2 | 5.3 | 4.5 | 1.5 | - | 5.8 | 11.0 | 5.8 | 5.6 | 2.0 | - | 5.7 | ALS | | |
| 65 | NA | NA | NA | NA | 65 | 42 | NA | NA | NA | NA | 42 | 107 | DISCH | Respiratory distress of newborn | P22 |
| 715 | NA | NA | NA | NA | 715 | 1,172 | NA | NA | NA | NA | 1,172 | 1,887 | DOC | | |
| 11.0 | NA | NA | NA | NA | 11.0 | 27.9 | NA | NA | NA | NA | 27.9 | 17.6 | ALS | | |
| 56 | 1 | 3 | 11 | 38 | 3 | 46 | 1 | 3 | 17 | 24 | 1 | 102 | DISCH | Nonsuppurative otitis media | H65 |
| 167 | 1 | 13 | 57 | 90 | 6 | 139 | 4 | 8 | 60 | 65 | 2 | 306 | DOC | | |
| 3.0 | 1.0 | 4.3 | 5.2 | 2.4 | 2.0 | 3.0 | 4.0 | 2.7 | 3.5 | 2.7 | 2.0 | 3.0 | ALS | | |
| 48 | 4 | 5 | 10 | 24 | 5 | 53 | 7 | 8 | 19 | 16 | 3 | 101 | DISCH | Other anaemias | D64 |
| 200 | 20 | 22 | 63 | 63 | 32 | 215 | 45 | 33 | 81 | 51 | 5 | 415 | DOC | | |
| 4.2 | 5.0 | 4.4 | 6.3 | 2.6 | 6.4 | 4.1 | 6.4 | 4.1 | 4.3 | 3.2 | 1.7 | 4.1 | ALS | | |
| 35 | 2 | 13 | 10 | 6 | 4 | 66 | 11 | 22 | 21 | 1 | 11 | 101 | DISCH | Gastro-oesophageal reflux disease | K21 |
| 187 | 21 | 94 | 47 | 12 | 13 | 516 | 60 | 157 | 113 | 1 | 185 | 703 | DOC | | |
| 5.3 | 10.5 | 7.2 | 4.7 | 2.0 | 3.3 | 7.8 | 5.5 | 7.1 | 5.4 | 1.0 | 16.8 | 7.0 | ALS | | |
| NA | NA | NA | NA | NA | NA | 101 | - | - | 101 | - | - | 101 | DISCH | Single delivery by forceps and vacuum extractor | O81 |
| NA | NA | NA | NA | NA | NA | 406 | - | - | 406 | - | - | 406 | DOC | | |
| NA | NA | NA | NA | NA | NA | 4.0 | - | - | 4.0 | - | - | 4.0 | ALS | | |
| 19 | 4 | 2 | 7 | 4 | 2 | 81 | - | 3 | 71 | 2 | 5 | 100 | DISCH | Examination and observation for other reasons | Z04 |
| 331 | 11 | 6 | 305 | 5 | 4 | 372 | - | 13 | 208 | 10 | 141 | 703 | DOC | | |
| 17.4 | 2.8 | 3.0 | 43.6 | 1.3 | 2.0 | 4.6 | - | 4.3 | 2.9 | 5.0 | 28.2 | 7.0 | ALS | | |

(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| Male | | | | | | Female | | | | | | Grand Total | DISCH DOC ALS | Principal Diagnosis | ICD10 Code |
|--------|-----|-------|-------|------|--------|------------|------|-------|-------|------|--------|-------------|---------------------|---|------------|
| Groups | | | | | | Age Groups | | | | | | | | | |
| Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | Total | 65+ | 45-64 | 15-44 | 1-14 | <1 yrs | | | | |
| 66 | - | 10 | 36 | 20 | - | 32 | 3 | 4 | 7 | 18 | - | 98 | DISCH | Fracture of shoulder and upper arm | S42 |
| 433 | - | 65 | 323 | 45 | - | 130 | 13 | 39 | 41 | 37 | - | 563 | DOC | | |
| 6.6 | - | 6.5 | 9.0 | 2.3 | - | 4.1 | 4.3 | 9.8 | 5.9 | 2.1 | - | 5.7 | ALS | | |
| 53 | 18 | 25 | 10 | - | - | 44 | 22 | 20 | 2 | - | - | 97 | DISCH | Other acute ischaemic heart diseases | I24 |
| 220 | 68 | 102 | 50 | - | - | 180 | 102 | 71 | 7 | - | - | 400 | DOC | | |
| 4.2 | 3.8 | 4.1 | 5.0 | - | - | 4.1 | 4.6 | 3.6 | 3.5 | - | - | 4.1 | ALS | | |
| 57 | 2 | 10 | 44 | 1 | - | 40 | 16 | 8 | 16 | - | - | 97 | DISCH | Fracture of lumbar spine and pelvis | S32 |
| 597 | 15 | 129 | 444 | 9 | - | 455 | 169 | 87 | 199 | - | - | 1,052 | DOC | | |
| 10.5 | 7.5 | 12.9 | 10.1 | 9.0 | - | 11.4 | 10.6 | 10.9 | 12.4 | - | - | 10.8 | ALS | | |
| 96 | 70 | 26 | - | - | - | NA | NA | NA | NA | NA | NA | 96 | DISCH | Hyperplasia of prostate | N40 |
| 748 | 579 | 169 | - | - | - | NA | NA | NA | NA | NA | NA | 748 | DOC | | |
| 7.8 | 8.3 | 6.5 | - | - | - | NA | NA | NA | NA | NA | NA | 7.8 | ALS | | |
| 65 | - | - | - | - | 65 | 28 | - | - | - | - | 28 | 93 | DISCH | Neonatal jaundice due to other excessive haemolysis | P58 |
| 272 | - | - | - | - | 272 | 163 | - | - | - | - | 163 | 435 | DOC | | |
| 4.2 | - | - | - | - | 4.2 | 5.8 | - | - | - | - | 5.8 | 4.7 | ALS | | |
| NA | NA | NA | NA | NA | NA | 91 | - | 35 | 56 | - | - | 91 | DISCH | Leiomyoma of uterus | D25 |
| NA | NA | NA | NA | NA | NA | 524 | - | 219 | 305 | - | - | 524 | DOC | | |
| NA | NA | NA | NA | NA | NA | 5.8 | - | 6.3 | 5.4 | - | - | 5.8 | ALS | | |
| 54 | 22 | 12 | 10 | 7 | 3 | 37 | 10 | 9 | 13 | 4 | 1 | 91 | DISCH | Other disorders of pancreatic internal secretion | E16 |
| 257 | 151 | 41 | 25 | 20 | 20 | 172 | 42 | 47 | 63 | 16 | 4 | 429 | DOC | | |
| 4.8 | 6.9 | 3.4 | 2.5 | 2.9 | 6.7 | 4.6 | 4.2 | 5.2 | 4.8 | 4.0 | 4.0 | 4.7 | ALS | | |


(Cont'd) Table 9.14 ()

2005

Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2005

| <i>Male</i> | | | | | | <i>Female</i> | | | | | | <i>Grand Total</i> | <i>DISCH DOC ALS</i> | <i>Principal Diagnosis</i> | <i>ICD10 Code</i> |
|---------------|------------|--------------|--------------|-------------|------------------|-------------------|------------|--------------|--------------|-------------|------------------|--------------------|------------------------------|---|-------------------|
| <i>Groups</i> | | | | | | <i>Age Groups</i> | | | | | | | | | |
| <i>Total</i> | <i>65+</i> | <i>45-64</i> | <i>15-44</i> | <i>1-14</i> | <i><1 yrs</i> | <i>Total</i> | <i>65+</i> | <i>45-64</i> | <i>15-44</i> | <i>1-14</i> | <i><1 yrs</i> | | | | |
| 39 | 4 | 5 | 18 | 12 | - | 51 | 2 | 11 | 26 | 12 | - | 90 | DISCH | Headache | R51 |
| 116 | 33 | 16 | 50 | 17 | - | 153 | 3 | 36 | 92 | 22 | - | 269 | DOC | | |
| 3 | 8 | 3 | 3 | 1 | - | 3 | 2 | 3 | 4 | 2 | - | 3 | ALS | | |
| 26 | 12 | 12 | 1 | 1 | - | 62 | 21 | 36 | 5 | - | - | 88 | DISCH | Gonarthrosis [arthrosis of knee] | M17 |
| 289 | 143 | 135 | 4 | 7 | - | 807 | 281 | 485 | 41 | - | - | 1,096 | DOC | | |
| 11 | 12 | 11 | 4 | 7 | - | 13 | 13 | 13 | 8 | - | - | 12 | ALS | | |
| 43 | 7 | 9 | 19 | 4 | 4 | 43 | 13 | 8 | 9 | 7 | 6 | 86 | DISCH | Paralytic ileus and intestinal obstruction without hernia | K56 |
| 385 | 82 | 82 | 145 | 21 | 55 | 342 | 141 | 104 | 53 | 32 | 12 | 727 | DOC | | |
| 9 | 12 | 9 | 8 | 5 | 14 | 8 | 11 | 13 | 6 | 5 | 2 | 8 | ALS | | |
| 14,390 | 1,874 | 2,509 | 6,170 | 2,825 | 1,012 | 20,190 | 1,788 | 2,226 | 13,477 | 1,933 | 766 | 34,580 | DISCH | 100 | |
| 86,691 | 17,151 | 17,129 | 33,424 | 12,813 | 6,174 | 94,846 | 16,944 | 14,414 | 51,501 | 6,318 | 5,669 | 181,537 | DOC | Total Leading 100 Diagnoses | |
| 6.0 | 9.2 | 6.8 | 5.4 | 4.5 | 6.1 | 4.7 | 9.5 | 6.5 | 3.8 | 3.3 | 7.4 | 5.2 | ALS | | |
| 6,148 | 898 | 1,205 | 2,429 | 1,075 | 541 | 6,172 | 814 | 1,129 | 3,034 | 783 | 412 | 12,320 | DISCH | Total of Others | |
| 49,147 | 9,692 | 12,340 | 16,034 | 6,172 | 4,909 | 45,129 | 8,742 | 9,976 | 18,174 | 4,213 | 4,024 | 94,276 | DOC | | |
| 8.0 | 10.8 | 10.2 | 6.6 | 5.7 | 9.1 | 7.3 | 10.7 | 8.8 | 6.0 | 5.4 | 9.8 | 7.7 | ALS | | |
| 20,538 | 2,772 | 3,714 | 8,599 | 3,900 | 1,553 | 26,362 | 2,602 | 3,355 | 16,511 | 2,716 | 1,178 | 46,900 | DISCH | Total | |
| 135,838 | 26,843 | 29,469 | 49,458 | 18,985 | 11,083 | 139,975 | 25,686 | 24,390 | 69,675 | 10,531 | 9,693 | 275,813 | DOC | | |
| 6.6 | 9.7 | 7.9 | 5.8 | 4.9 | 7.1 | 5.3 | 9.9 | 7.3 | 4.2 | 3.9 | 8.2 | 5.9 | ALS | | |

Figure 9.4
2005
Discharges by The Ten Leading Diagnosis 2005



Reference: Table 9.14

9.14 :

Table 9.15
2005 ()
Discharges by Operation Days and Department 2005

| Department | Disch. | Post Operation Days | | | | Pre Operation Days | | | |
|-------------------------------|--------|---------------------|--------|------|------|--------------------|--------|-------|------|
| | | Avg.L.S. | Median | Max. | Min. | Avg.L.S. | Median | Max. | Min. |
| Medical | 1,443 | 4 | 2 | 251 | - | 4 | 1 | 1,010 | - |
| Surgical | 4,514 | 5 | 3 | 142 | - | 3 | 1 | 262 | - |
| Ophthalmology | 762 | 3 | 3 | 18 | - | 3 | 2 | 29 | - |
| E.N.T. | 2,379 | 2 | 2 | 95 | - | 1 | 1 | 46 | - |
| Dental | 303 | 4 | 3 | 52 | - | 2 | 1 | 38 | - |
| Pediatrics | 418 | 4 | 1 | 104 | - | 4 | 2 | 162 | - |
| Neurosciences | 235 | 7 | 3 | 148 | - | 7 | 1 | 782 | - |
| Oncology | 239 | 7 | 3 | 145 | - | 2 | - | 33 | - |
| Orthopedic Surgery & Fracture | 1,924 | 6 | 3 | 112 | - | 2 | 1 | 443 | - |
| Plastic Surgery & Burns | 390 | 7 | 4 | 96 | - | 4 | 1 | 106 | - |
| Obstetrics & Gynecology | 10,540 | 2 | 1 | 51 | - | 2 | 1 | 146 | - |
| SCBU | 40 | 15 | 9 | 92 | - | 15 | 6 | 111 | - |

العلوم العصبية
الأورام

Avg.L.S: Average Length of Stay .

المتوسط : متوسط مدة الإقامة .

Table 9.16
2005 - 2001
Number of Anaesthesia Cases at Ministry of Health by Type of Anaesthesia 2001 - 2005

| <i>Type of Anaesthesia</i> | <i>2005</i> | <i>2004</i> | <i>2003</i> | <i>2002</i> | <i>2001</i> |
|------------------------------|---------------|---------------|---------------|---------------|---------------|
| General anaesthesia | 15,262 | 15,033 | 14,685 | 15,333 | 14,179 |
| Local anaesthesia | 3,189 | 4,349 | 3,785 | 3,603 | 3,696 |
| Spinal , epidural & regional | 4,273 | 1,999 | 1,994 | 4,023 | 2,215 |
| Sedation | 1,503 | 3,526 | 1,177 | 1,455 | 2,808 |
| Total | 24,227 | 24,907 | 21,641 | 24,414 | 22,898 |

Table 9.17
2005
Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 hrs & over</i> | | | <i>48 Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|--------------------------|----------------|------------|----------------------------|----------------|------------|------------|--|-------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| 3 | - | 3 | 3 | - | 3 | - | - | - | Male | () Tuberculosis | A15-A19 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 3 | - | 3 | 3 | - | 3 | - | - | - | Total | | |
| 164 | 15 | 149 | 142 | 10 | 132 | 22 | 5 | 17 | Male | Other bacterial diseases | A30-A49 |
| 146 | 2 | 144 | 122 | 2 | 120 | 24 | - | 24 | Female | | |
| 310 | 17 | 293 | 264 | 12 | 252 | 46 | 5 | 41 | Total | | |
| 1 | - | 1 | - | - | - | 1 | - | 1 | Male | Viral infections of the central nervous system | A80-A89 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | - | - | - | 1 | - | 1 | Total | | |
| 1 | 1 | - | 1 | 1 | - | - | - | - | Male | Viral infections characterized by skin and mucous membrane lesions | B00-B09 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | 1 | - | 1 | 1 | - | - | - | - | Total | | |
| 4 | 1 | 3 | 4 | 1 | 3 | - | - | - | Male | () Human immunodeficiency virus [HIV] disease | B20-B24 |
| 1 | - | 1 | - | - | - | 1 | - | 1 | Female | | |
| 5 | 1 | 4 | 4 | 1 | 3 | 1 | - | 1 | Total | | |
| - | - | - | - | - | - | - | - | - | Male | Mycoses | B35-B49 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| 2 | 1 | 1 | 2 | 1 | 1 | - | - | - | Male | Malignant neoplasms of lip, oral cavity and pharynx | C00-C14 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 3 | 1 | 2 | 3 | 1 | 2 | - | - | - | Total | | |

(Cont'd) Table 9.17 ()

2005

Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 48 hrs & over</i> | | | <i>48 Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|---------------------------------|----------------|------------|--------------------------------|----------------|------------|------------|--|-----------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| 25 | - | 25 | 22 | - | 22 | 3 | - | - | 3 Male | Malignant neoplasms of digestive organs | C15-C26 |
| 21 | 3 | 18 | 19 | 2 | 17 | 2 | 1 | 1 Female | | | |
| 46 | 3 | 43 | 41 | 2 | 39 | 5 | 1 | 4 Total | | | |
| 14 | 2 | 12 | 13 | 2 | 11 | 1 | - | - | 1 Male | Malignant neoplasm of respiratory and intrathoracic organs | C30-C39 |
| 8 | 1 | 7 | 7 | 1 | 6 | 1 | - | - | 1 Female | | |
| 22 | 3 | 19 | 20 | 3 | 17 | 2 | - | - | 2 Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | - Male | Malignant neoplasm of bone and articular cartilage | C40-C41 |
| - | - | - | - | - | - | - | - | - | - Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | - Total | | |
| 3 | 2 | 1 | 3 | 2 | 1 | - | - | - | - Male | Malignant neoplasms of mesothelial and soft tissues | C45-C49 |
| - | - | - | - | - | - | - | - | - | - Female | | |
| 3 | 2 | 1 | 3 | 2 | 1 | - | - | - | - Total | | |
| - | - | - | - | - | - | - | - | - | - Male | Malignant neoplasms of breast | C50 |
| 20 | 2 | 18 | 17 | 2 | 15 | 3 | - | - | 3 Female | | |
| 20 | 2 | 18 | 17 | 2 | 15 | 3 | - | - | 3 Total | | |
| - | - | - | - | - | - | - | - | - | - Male | Malignant neoplasms of female genital organs | C51-C58 |
| 10 | - | 10 | 9 | - | 9 | 1 | - | - | 1 Female | | |
| 10 | - | 10 | 9 | - | 9 | 1 | - | - | 1 Total | | |
| 3 | - | 3 | 3 | - | 3 | - | - | - | - Male | Malignant neoplasms of male genital organs | C60-C63 |
| - | - | - | - | - | - | - | - | - | - Female | | |
| 3 | - | 3 | 3 | - | 3 | - | - | - | - Total | | |

(Cont'd) Table 9.17 ()
2005
Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 hrs & over</i> | | | <i>48 Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|--------------------------|----------------|------------|----------------------------|----------------|------------|------------|---|-------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| 2 | - | 2 | 2 | - | 2 | - | - | - | Male | Malignant neoplasms of urinary tract | C64-C68 |
| 4 | 1 | 3 | 4 | 1 | 3 | - | - | - | Female | | |
| 6 | 1 | 5 | 6 | 1 | 5 | - | - | - | Total | | |
| 3 | - | 3 | 3 | - | 3 | - | - | - | Male | Malignant neoplasms of eye, brain & other parts of central nervous system | C69-C72 |
| 3 | - | 3 | 3 | - | 3 | - | - | - | Female | | |
| 6 | - | 6 | 6 | - | 6 | - | - | - | Total | | |
| - | - | - | - | - | - | - | - | - | Male | Malignant neoplasms of thyroid and other endocrine glands | C73-C75 |
| 2 | - | 2 | 1 | - | 1 | 1 | - | 1 | Female | | |
| 2 | - | 2 | 1 | - | 1 | 1 | - | 1 | Total | | |
| 6 | 1 | 5 | 6 | 1 | 5 | - | - | - | Male | Malignant neoplasms of ill-defined, secondary and unspecified sites | C76-C80 |
| 3 | - | 3 | 3 | - | 3 | - | - | - | Female | | |
| 9 | 1 | 8 | 9 | 1 | 8 | - | - | - | Total | | |
| 13 | 1 | 12 | 11 | - | 11 | 2 | 1 | 1 | Male | Malignant neoplasm of lymphoid, haematopoietic and related tissue | C81-C96 |
| 8 | 1 | 7 | 8 | 1 | 7 | - | - | - | Female | | |
| 21 | 2 | 19 | 19 | 1 | 18 | 2 | 1 | 1 | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Benign Neoplasm | D10-D36 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| 3 | 1 | 2 | 3 | 1 | 2 | - | - | - | Male | Neoplasms of uncertain or unknown behaviour | D37-D48 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 3 | 1 | 2 | 3 | 1 | 2 | - | - | - | Total | | |

(Cont'd) Table 9.17 ()

2005

Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 hrs & over</i> | | | <i>48 Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|--------------------------|----------------|------------|----------------------------|----------------|------------|------------|--|-------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| 5 | - | 5 | 4 | - | 4 | 1 | - | 1 | Male | Haemolytic anaemias | D55-D59 |
| 2 | - | 2 | 1 | - | 1 | 1 | - | 1 | Female | | |
| 7 | - | 7 | 5 | - | 5 | 2 | - | 2 | Total | | |
| 6 | - | 6 | 6 | - | 6 | - | - | - | Male | Coagulation defects, purpura and other haemorrhagic conditions | D65-D69 |
| 4 | - | 4 | 4 | - | 4 | - | - | - | Female | | |
| 10 | - | 10 | 10 | - | 10 | - | - | - | Total | | |
| 5 | - | 5 | 4 | - | 4 | 1 | - | 1 | Male | Diabetes mellitus | E10-E14 |
| 3 | 1 | 2 | 3 | 1 | 2 | - | - | - | Female | | |
| 8 | 1 | 7 | 7 | 1 | 6 | 1 | - | 1 | Total | | |
| - | - | - | - | - | - | - | - | - | Male | Malnutrition | E40-E46 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| 3 | - | 3 | 1 | - | 1 | 2 | - | 2 | Male | Metabolic disorders | E70-E90 |
| 1 | - | 1 | - | - | - | 1 | - | 1 | Female | | |
| 4 | - | 4 | 1 | - | 1 | 3 | - | 3 | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Organic, including symptomatic, mental disorders | F00-F09 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Mental and behavioural disorders due to psychoactive substance use | F10-F19 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |

(Cont'd) Table 9.17 ()
 2005
 Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 hrs & over</i> | | | <i>48 Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|--------------------------|----------------|------------|----------------------------|----------------|------------|------------|---|-------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| - | - | - | - | - | - | - | - | - | Male | Mental retardation | F70-F79 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| 2 | 1 | 1 | 2 | 1 | 1 | - | - | - | Male | Inflammatory diseases of the central nervous system | G00-G09 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 2 | 1 | 1 | 2 | 1 | 1 | - | - | - | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Systemic atrophies primarily affecting the central nervous system | G10-G13 |
| 1 | 1 | - | 1 | 1 | - | - | - | - | Female | | |
| 2 | 1 | 1 | 2 | 1 | 1 | - | - | - | Total | | |
| - | - | - | - | - | - | - | - | - | Male | Other degenerative diseases of the nervous system | G30-G32 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Demyelinating diseases of the central nervous system | G35-G37 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| 2 | - | 2 | 2 | - | 2 | - | - | - | Male | Episodic and paroxysmal disorders | G40-G47 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 2 | - | 2 | 2 | - | 2 | - | - | - | Total | | |
| - | - | - | - | - | - | - | - | - | Male | Polyneuropathies and other disorders of the peripheral nervous system | G60-G64 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |

(Cont'd) Table 9.17 ()

2005

Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 hrs & over</i> | | | <i>48 Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|--------------------------|----------------|------------|----------------------------|----------------|------------|------------|--|-------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| 2 | - | 2 | 2 | - | 2 | - | - | - | Male | Other disorders of the nervous system | G90-G99 |
| 3 | - | 3 | 3 | - | 3 | - | - | - | Female | | |
| 5 | - | 5 | 5 | - | 5 | - | - | - | Total | | |
| 17 | 4 | 13 | 15 | 4 | 11 | 2 | - | 2 | Male | Hypertensive diseases | I10-I15 |
| 24 | 2 | 22 | 23 | 2 | 21 | 1 | - | 1 | Female | | |
| 41 | 6 | 35 | 38 | 6 | 32 | 3 | - | 3 | Total | | |
| 27 | 7 | 20 | 20 | 4 | 16 | 7 | 3 | 4 | Male | Ischaemic heart disease | I20-I25 |
| 23 | - | 23 | 13 | - | 13 | 10 | - | 10 | Female | | |
| 50 | 7 | 43 | 33 | 4 | 29 | 17 | 3 | 14 | Total | | |
| 6 | 2 | 4 | 5 | 2 | 3 | 1 | - | 1 | Male | Pulmonary heart diseases and diseases of pulmonary circulation | I26-I28 |
| 3 | - | 3 | 3 | - | 3 | - | - | - | Female | | |
| 9 | 2 | 7 | 8 | 2 | 6 | 1 | - | 1 | Total | | |
| 31 | 2 | 29 | 28 | 2 | 26 | 3 | - | 3 | Male | Other forms of heart diseases | I30-I52 |
| 24 | 4 | 20 | 21 | 4 | 17 | 3 | - | 3 | Female | | |
| 55 | 6 | 49 | 49 | 6 | 43 | 6 | - | 6 | Total | | |
| 38 | 11 | 27 | 33 | 10 | 23 | 5 | 1 | 4 | Male | Cerebrovascular diseases | I60-I69 |
| 32 | 6 | 26 | 29 | 4 | 25 | 3 | 2 | 1 | Female | | |
| 70 | 17 | 53 | 62 | 14 | 48 | 8 | 3 | 5 | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Diseases of arteries, arterioles and capillaries | I70-I79 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |

(Cont'd) Table 9.17 ()

2005

Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 hrs & over</i> | | | <i>48 Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|--------------------------|----------------|------------|----------------------------|----------------|------------|------------|--|-------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| 2 | 1 | 1 | 1 | - | 1 | 1 | 1 | - | Male | Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified | I80-I89 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 3 | 1 | 2 | 2 | - | 2 | 1 | 1 | - | Total | | |
| 9 | - | 9 | 7 | - | 7 | 2 | - | 2 | Male | Influenza and pneumonia | J10-J18 |
| 9 | 1 | 8 | 9 | 1 | 8 | - | - | - | Female | | |
| 18 | 1 | 17 | 16 | 1 | 15 | 2 | - | 2 | Total | | |
| 5 | - | 5 | 5 | - | 5 | - | - | - | Male | Chronic lower respiratory diseases | J40-J47 |
| 7 | - | 7 | 6 | - | 6 | 1 | - | 1 | Female | | |
| 12 | - | 12 | 11 | - | 11 | 1 | - | 1 | Total | | |
| 7 | 1 | 6 | 6 | 1 | 5 | 1 | - | 1 | Male | Lung diseases due to external agents | J60-J70 |
| 8 | - | 8 | 5 | - | 5 | 3 | - | 3 | Female | | |
| 15 | 1 | 14 | 11 | 1 | 10 | 4 | - | 4 | Total | | |
| 5 | 1 | 4 | 3 | 1 | 2 | 2 | - | 2 | Male | Other respiratory diseases principally affecting the interstitium | J80-J84 |
| 2 | - | 2 | 1 | - | 1 | 1 | - | 1 | Female | | |
| 7 | 1 | 6 | 4 | 1 | 3 | 3 | - | 3 | Total | | |
| 2 | - | 2 | 2 | - | 2 | - | - | - | Male | Other diseases of pleura | J90-J94 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 3 | - | 3 | 3 | - | 3 | - | - | - | Total | | |
| 15 | - | 15 | 12 | - | 12 | 3 | - | 3 | Male | Other diseases of the respiratory system | J95-J99 |
| 25 | 1 | 24 | 22 | 1 | 21 | 3 | - | 3 | Female | | |
| 40 | 1 | 39 | 34 | 1 | 33 | 6 | - | 6 | Total | | |

(Cont'd) Table 9.17 ()

2005

Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 hrs & over</i> | | | <i>48 Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|--------------------------|----------------|------------|----------------------------|----------------|------------|------------|--|-------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Diseases of oesophagus, stomach and duodenum | K20-K31 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| - | - | - | - | - | - | - | - | - | Male | Noninfective enteritis and colitis | K50-K52 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| 2 | - | 2 | 2 | - | 2 | - | - | - | Male | Other diseases of intestines | K55-K63 |
| 4 | - | 4 | 4 | - | 4 | - | - | - | Female | | |
| 6 | - | 6 | 6 | - | 6 | - | - | - | Total | | |
| 5 | 1 | 4 | 4 | 1 | 3 | 1 | - | 1 | Male | Diseases of liver | K70-K77 |
| 6 | 2 | 4 | 5 | 1 | 4 | 1 | 1 | 1 | Female | | |
| 11 | 3 | 8 | 9 | 2 | 7 | 2 | 1 | 1 | Total | | |
| 2 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | Male | Disorders of gallbladder, biliary tract and pancreas | K80-K87 |
| 2 | 1 | 1 | 2 | 1 | 1 | - | - | - | Female | | |
| 4 | 2 | 2 | 3 | 1 | 2 | 1 | 1 | 1 | Total | | |
| 12 | - | 12 | 11 | - | 11 | 1 | - | 1 | Male | Other diseases of the digestive system | K90-K93 |
| 13 | - | 13 | 8 | - | 8 | 5 | - | 5 | Female | | |
| 25 | - | 25 | 19 | - | 19 | 6 | - | 6 | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Infections of the skin and subcutaneous tissue | L00-L08 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |

(Cont'd) Table 9.17 ()
2005
Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 hrs & over</i> | | | <i>48 Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|--------------------------|----------------|------------|----------------------------|----------------|------------|------------|---|-------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| - | - | - | - | - | - | - | - | - | - Male | Systemic connective tissue disorders | M30-M36 |
| 1 | - | 1 | 1 | - | 1 | - | - | - Female | - Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - Total | - Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | - Male | Osteopathies and chondropathies | M80-M94 |
| - | - | - | - | - | - | - | - | - | - Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | - Total | | |
| 6 | 1 | 5 | 6 | 1 | 5 | - | - | - | - Male | Renal failure | N17-N19 |
| 3 | - | 3 | 3 | - | 3 | - | - | - | - Female | | |
| 9 | 1 | 8 | 9 | 1 | 8 | - | - | - | - Total | | |
| - | - | - | - | - | - | - | - | - | - Male | Other diseases of the urinary system | N30-N39 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | - Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | - Total | | |
| - | - | - | - | - | - | - | - | - | - Male | Delivery | O80-O84 |
| 1 | 1 | - | 1 | 1 | - | - | - | - | - Female | | |
| 1 | 1 | - | 1 | 1 | - | - | - | - | - Total | | |
| - | - | - | - | - | - | - | - | - | - Male | Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery | P00-P04 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | - Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | - Total | | |
| 9 | 1 | 8 | 4 | - | 4 | 5 | 1 | 4 | 4 Male | Disorders related to length of gestation and fetal growth | P05-P08 |
| 5 | - | 5 | 3 | - | 3 | 2 | - | 2 | 2 Female | | |
| 14 | 1 | 13 | 7 | - | 7 | 7 | 1 | 6 | 6 Total | | |

(Cont'd) Table 9.17 ()

2005

Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 hrs & over</i> | | | <i>Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|--------------------------|----------------|------------|-------------------------|----------------|------------|------------|---|-------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| 7 | - | 7 | 6 | - | 6 | 1 | - | 1 | Male | Respiratory and cardiovascular disorders specific to the perinatal period | P20-P29 |
| 6 | 2 | 4 | 3 | - | 3 | 3 | 2 | 1 | Female | | |
| 13 | 2 | 11 | 9 | - | 9 | 4 | 2 | 2 | Total | | |
| 11 | - | 11 | 11 | - | 11 | - | - | - | Male | Infections specific to the perinatal period | P35-P39 |
| 6 | 1 | 5 | 5 | 1 | 4 | 1 | - | 1 | Female | | |
| 17 | 1 | 16 | 16 | 1 | 15 | 1 | - | 1 | Total | | |
| 5 | 1 | 4 | 5 | 1 | 4 | - | - | - | Male | Haemorrhagic and haematological disorders of fetus and newborn | P50-P61 |
| 1 | - | 1 | - | - | - | 1 | - | 1 | Female | | |
| 6 | 1 | 5 | 5 | 1 | 4 | 1 | - | 1 | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | disorders specific to fetus and newborn Transitory endocrine and metabolic | P70-P74 |
| 2 | - | 2 | 1 | - | 1 | 1 | - | 1 | Female | | |
| 3 | - | 3 | 2 | - | 2 | 1 | - | 1 | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Other disorders originating in the perinatal period | P90-P96 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| - | - | - | - | - | - | - | - | - | Male | Congenital malformations of the nervous system | Q00-Q07 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| 2 | 1 | 1 | 2 | 1 | 1 | - | - | - | Male | Congenital malformations of the circulatory system | Q20-Q28 |
| 3 | 1 | 2 | 2 | - | 2 | 1 | 1 | - | Female | | |
| 5 | 2 | 3 | 4 | 1 | 3 | 1 | 1 | - | Total | | |

(Cont'd) Table 9.17 ()
2005
Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 hrs & over</i> | | | <i>48 Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|--------------------------|----------------|------------|----------------------------|----------------|------------|------------|--|-------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| 1 | 1 | - | - | - | - | 1 | 1 | - | Male | Congenital malformations of the respiratory system | Q30-Q34 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 2 | 1 | 1 | 1 | - | 1 | 1 | 1 | - | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Other congenital malformations of the digestive system | Q38-Q45 |
| 1 | - | 1 | - | - | - | 1 | - | 1 | Female | | |
| 2 | - | 2 | 1 | - | 1 | 1 | - | 1 | Total | | |
| 1 | - | 1 | - | - | - | 1 | - | 1 | Male | Congenital malformations of the urinary system | Q60-Q64 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | - | - | - | 1 | - | 1 | Total | | |
| 2 | 1 | 1 | 1 | - | 1 | 1 | 1 | - | Male | Other congenital malformations | Q80-Q89 |
| 2 | - | 2 | 2 | - | 2 | - | - | - | Female | | |
| 4 | 1 | 3 | 3 | - | 3 | 1 | 1 | - | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Chromosomal abnormalities, not elsewhere classified | Q90-Q99 |
| 3 | - | 3 | 3 | - | 3 | - | - | - | Female | | |
| 4 | - | 4 | 4 | - | 4 | - | - | - | Total | | |
| 6 | 1 | 5 | 5 | 1 | 4 | 1 | - | 1 | Male | Symptoms and signs involving the circulatory and respiratory systems | R00-R09 |
| 5 | - | 5 | 5 | - | 5 | - | - | - | Female | | |
| 11 | 1 | 10 | 10 | 1 | 9 | 1 | - | 1 | Total | | |
| - | - | - | - | - | - | - | - | - | Male | perception, emotional state and behaviour Symptoms and signs involving cognition, | R40-R46 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |

(Cont'd) Table 9.17 ()
 2005
 Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| <i>Total</i> | | | <i>48 hrs & over</i> | | | <i>48 Less than 48 hrs</i> | | | <i>Sex</i> | <i>Cause of Death</i> | <i>ICD10 Code</i> |
|--------------|----------------|------------|--------------------------|----------------|------------|----------------------------|----------------|------------|------------|---|-------------------|
| <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | <i>Total</i> | <i>Non-Bah</i> | <i>Bah</i> | | | |
| 7 | - | 7 | 4 | - | 4 | 3 | - | 3 | Male | General symptoms and signs | R50-R69 |
| 9 | 1 | 8 | 7 | 1 | 6 | 2 | - | 2 | Female | | |
| 16 | 1 | 15 | 11 | 1 | 10 | 5 | - | 5 | Total | | |
| 14 | 3 | 11 | 11 | 2 | 9 | 3 | 1 | 2 | Male | Injuries to the head | S00-S09 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Female | | |
| 15 | 3 | 12 | 12 | 2 | 10 | 3 | 1 | 2 | Total | | |
| 1 | - | 1 | - | - | - | 1 | - | 1 | Male | Injuries to the neck | S10-S19 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | - | - | - | 1 | - | 1 | Total | | |
| 2 | 2 | - | 1 | 1 | - | 1 | 1 | - | Male | Injuries to the abdomen, lower back, lumbar spine and pelvis | S30-S39 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 2 | 2 | - | 1 | 1 | - | 1 | 1 | - | Total | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Male | Injuries to the hip and thigh | S70-S79 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | - | 1 | 1 | - | 1 | - | - | - | Total | | |
| 1 | 1 | - | - | - | - | 1 | 1 | - | Male | Injuries involving multiple body regions | T00-T07 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | 1 | - | - | - | - | 1 | 1 | - | Total | | |
| 1 | 1 | - | - | - | - | 1 | 1 | - | Male | Burns and corrosions of external body surface specified by site | T20-T25 |
| - | - | - | - | - | - | - | - | - | Female | | |
| 1 | 1 | - | - | - | - | 1 | 1 | - | Total | | |


(Cont'd) Table 9.17 ()

2005

Deaths by Cause of Death, Length of Stay, Nationality and Sex 2005

| Total | | | 48 48 hrs & over | | | 48 Less than 48 hrs | | | Sex | Cause of Death | ICD10 Code |
|-------|---------|-----|---------------------|---------|-----|------------------------|---------|-----|------------------|---|---------------|
| Total | Non-Bah | Bah | Total | Non-Bah | Bah | Total | Non-Bah | Bah | | | |
| 4 | 2 | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 1 Male | Burns and corrosions of multiple and unspecified body regions | T29-T32 |
| - | - | - | - | - | - | - | - | - | - Female | | |
| 4 | 2 | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 1 Total | | |
| 2 | - | 2 | 2 | - | 2 | - | - | - | - Male | Poisoning by drugs, medicaments and biological substances | T36-T50 |
| 1 | - | 1 | 1 | - | 1 | - | - | - | - Female | | |
| 3 | - | 3 | 3 | - | 3 | - | - | - | - Total | | |
| 2 | 2 | - | 2 | 2 | - | - | - | - | - Male | Toxic effects of substances chiefly nonmedicinal as to source | T51-T65 |
| - | - | - | - | - | - | - | - | - | - Female | | |
| 2 | 2 | - | 2 | 2 | - | - | - | - | - Total | | |
| 1 | 1 | - | - | - | - | 1 | 1 | - | - Male | Other and unspecified effects of external causes | T66-T78 |
| - | - | - | - | - | - | - | - | - | - Female | | |
| 1 | 1 | - | - | - | - | 1 | 1 | - | - Total | | |
| 2 | 1 | 1 | 2 | 1 | 1 | - | - | - | - Male | Complications of surgical and medical care, not elsewhere calssified | T80-T88 |
| - | - | - | - | - | - | - | - | - | - Female | | |
| 2 | 1 | 1 | 2 | 1 | 1 | - | - | - | - Total | | |
| 559 | 77 | 482 | 473 | 56 | 417 | 86 | 21 | 65 | 65 Male ذكر | Total | |
| 486 | 35 | 451 | 408 | 28 | 380 | 78 | 7 | 71 | 71 Female أنثى | | |
| 1,045 | 112 | 933 | 881 | 84 | 797 | 164 | 28 | 136 | 136 Total الجملة | | |

Figure 9.5
2005
Deaths by Cause of Death 2005



Reference: Table 9.17

9.17 :

Table 9.18
2005 - 2001
Out-Patient Visits by Department 2001 - 2005

| <i>Department / Clinic</i> | <i>2005</i> | <i>2004</i> | <i>2003</i> | <i>2002</i> | <i>2001</i> | <i>/</i> |
|-------------------------------------|----------------|----------------|----------------|----------------|----------------|----------|
| Accident & Emergency | 280,629 | 283,818 | 288,597 | 268,578 | 252,878 | |
| A&E Clinic | 280,629 | 283,818 | 288,597 | 268,578 | 216,384 | |
| Triage Room ¹ | NA | NA | NA | NA | 36,494 | 1 |
| Out-Patient Clinic | 199,915 | 188,774 | 203,059 | 183,590 | 195,620 | |
| Medical | 34,698 | 42,162 | 50,808 | 42,110 | 41,004 | |
| Surgical | 21,170 | 23,572 | 28,462 | 29,308 | 29,409 | |
| Orthopedic & Fracture | 28,529 | 27,483 | 27,258 | 23,549 | 23,162 | |
| Plastic Surgery & Burns | 2,554 | 1,873 | 2,071 | 2,216 | 2,578 | |
| Eye | 21,054 | 19,693 | 20,660 | 17,069 | 21,122 | |
| E.N.T. | 28,043 | 27,583 | 27,369 | 21,598 | 24,353 | |
| Paediatric | 20,670 | 18,114 | 18,511 | 17,267 | 17,726 | |
| Oncology ² | 5,324 | NA | NA | NA | NA | 2 |
| Clinical Neurosciences ² | 5,322 | NA | NA | NA | NA | 2 |
| Obstetrics & Gynecology | 26,436 | 22,845 | 22,644 | 25,230 | 30,886 | |
| Gynecology | 11,287 | 10,862 | 11,924 | 11,850 | 12,560 | |
| Antenatal | 15,149 | 11,983 | 10,720 | 13,380 | 18,300 | |
| Postnatal | - | - | - | - | 26 | |
| Dental | 6,115 | 5,449 | 5,276 | 5,243 | 5,380 | |
| Total | 480,544 | 472,592 | 491,656 | 452,168 | 448,498 | |
| Other Services | | | | | | |
| Physiotherapy (SMC) | 91,113 | 83,352 | 91,143 | 84,956 | 105,081 | () |
| Occupational Therapy | 7,833 | 8,341 | 7,811 | 7,928 | 6,357 | |
| Day Case Unit | 7,654 | 7,460 | 7,089 | 7,422 | 6,444 | |


¹ Total patients seen at Triage Room are included under Accidents & Emergency clinic since 2002.

² Operated separately effective from 2005.

. 2002

. 2005

Figure 9.6
2005
Out-Patient Visits by Department 2005



Reference: Table 9.18

9.18 :

Table 9.19
2005
Laboratory Tests by Source of Specimen 2005

| <i>Source of Specimen</i> | <i>Total</i> | <i>Bacterio- logy</i> | <i>Parasito- logy</i> | <i>Sero- logy</i> | <i>Immuno- logy</i> | <i>Cyto- logy</i> | <i>Histo- logy</i> | <i>FNAC</i> | <i>Blood Bank</i> | <i>Haema- tology</i> | <i>Bioche- mistry</i> | |
|--|------------------|---------------------------|---------------------------|-----------------------|-------------------------|-----------------------|------------------------|--------------|-----------------------|--------------------------|---------------------------|-----|
| Salmaniya Medical Complex | 4,618,822 | 411,148 | 127,645 | 41,374 | 7,485 | 2,719 | 9,284 | 1,806 | 366,580 | 1,491,422 | 2,159,359 | |
| Limited Private Practice | 14,274 | 2,962 | 119 | 487 | 128 | 223 | 7 | 11 | 139 | 4,796 | 5,402 | |
| Maternity Hospitals | 59,307 | 17,118 | 427 | 1,142 | 6 | 29 | 51 | 6 | 1,323 | 8,502 | 30,703 | |
| Psychiatric Hospital | 34,081 | 1,420 | 602 | 817 | 17 | - | 5 | 2 | 30 | 9,110 | 22,078 | |
| Health Centers * | 929,798 | 202,630 | 787 | 25,267 | 793 | 6,368 | 40 | 5 | 7,191 | 43,667 | 643,050 | * |
| Medical Commission | 2,005 | - | 2 | 12 | - | - | - | - | 7 | - | 1,984 | |
| Public Health | 2,431 | 384 | 51 | 41 | 6 | 1 | - | - | 23 | 743 | 1,182 | |
| College of Health Sciences | 226 | 30 | 13 | - | - | - | - | - | - | 96 | 87 | |
| Military Hospital | 1,007 | 32 | 2 | 33 | 189 | 10 | 2 | 3 | 14 | 23 | 699 | |
| Directorate of Health & Social Affairs (Ministry of Interior) | 10,036 | 2,312 | 88 | 206 | 2 | 57 | 2 | - | 2 | 5,552 | 1,815 | () |
| Private Hospitals | 6,479 | 172 | 4 | 86 | 4 | 2 | 16 | 8 | 3,317 | 894 | 1,976 | |
| Private Clinics | 2,325 | 262 | 26 | 97 | 17 | 52 | 37 | 41 | 14 | 596 | 1,183 | |
| Private Companies | 4,779 | 86 | 61 | 125 | 29 | 6 | - | - | 150 | 1,845 | 2,477 | |
| Others | 63 | 36 | 2 | 2 | - | - | - | - | - | - | 23 | |
| Total | 5,685,633 | 638,592 | 129,829 | 69,689 | 8,676 | 9,467 | 9,444 | 1,882 | 378,790 | 1,567,246 | 2,872,018 | |

* Excluding Al Razi Health Center which is specifically provided for labour Force / Workers .

*

Table 9.20
2005
Radiology Procedures 2005

| <i>Radiology Procedure</i> | <i>Total</i> | <i>* LPP *</i> | <i>SMC</i> | <i>Accident & Emergency</i> | |
|------------------------------|--------------|--------------------|------------|-------------------------------------|-----|
| Skull | 8,515 | 366 | 3,710 | 4,439 | |
| Ultrasound | 21,279 | 1,179 | 20,078 | 22 | |
| Spines (All Views) | 12,671 | 399 | 4,793 | 7,479 | |
| Extremities & Joints | 63,438 | 961 | 22,992 | 39,485 | |
| Chest (All Views) | 37,537 | 385 | 13,986 | 23,166 | |
| Abdomen | 14,302 | 43 | 3,515 | 10,744 | |
| Mammography | 4,109 | 334 | 3,775 | - | |
| Hysterosalpingogram | 587 | 156 | 431 | - | |
| I.V.U (All G.U.) | 2,681 | 174 | 2,494 | 13 | |
| Barium Swallow & Barium Meal | 2,000 | 197 | 1,798 | 5 | |
| Small Bowel Meal | 52 | 3 | 49 | - | |
| Ultrasound portable | 140 | - | 140 | - | |
| Barium Enema | 772 | 111 | 659 | 2 | |
| Fluoroscopy | 183 | 1 | 181 | 1 | |
| Sinogram (Fistulogram) | 41 | 6 | 35 | - | |
| Sialogram | 60 | 12 | 48 | - | |
| Dacrocystogram | 58 | 5 | 53 | - | |
| Ultrasound Guided Biopsy | 129 | 7 | 122 | - | () |
| Myelogram | 5 | - | 5 | - | |
| Angiogram | 405 | 4 | 401 | - | |
| Venogram | 203 | - | 203 | - | |
| Skeletal Survey | 37 | - | 36 | 1 | |
| C.T. Scan | 9,656 | 187 | 9,462 | 7 | |

(Coun't) Table 9.20 ()
2005
Radiology Procedures 2005

| <i>Radiology Procedure</i> | <i>Total</i> | <i>* LPP *</i> | <i>SMC</i> | <i>Accident & Emergency</i> | |
|---|----------------|----------------|----------------|---------------------------------|---|
| E.S.W.L. | 361 | - | 360 | 1 | |
| E.R.C.P. | 120 | - | 119 | 1 | |
| Percutaneous Nephro Lithotripsy (P.C.N.L.) | 1 | - | 1 | - | |
| Cavernogram | 1 | - | 1 | - | |
| Mobiles (Ward Radiography) | 12,819 | 1 | 7,587 | 5,231 | |
| Nuclear Medicine/RNI | 2,024 | 202 | 1,822 | - | / |
| Magnetic Resonance Imaging (MRI) | 4,196 | 291 | 3,903 | 2 | |
| Bone Mineral Densitometry (BMD) | 3,757 | 898 | 2,859 | - | |
| OPG | 2,534 | 948 | 1,428 | 158 | |
| Operation Theater | 2,127 | 7 | 2,120 | - | |
| Copy & CD-Rom | 262 | - | 262 | - | |
| Percutaneous Transhepatic Cholangiogram (PTC) | 4 | - | 4 | - | |
| Total | 207,066 | 6,877 | 109,432 | 90,757 | |
| Interrupted | 149 | 14 | 134 | 1 | |
| Grand Total | 207,215 | 6,891 | 109,566 | 90,758 | |

* LPP : Limited private practice carried out by government physicians from SMC .

: () *

Table 9.21
2005
Discharges from Special Care Baby Unit by Month and Sex 2005

| <i>Month</i> | <i>Total</i> | | | | <i>Dead</i> | | | | <i>Alive</i> | | | |
|--------------|--------------|------------|---------------|-------------|--------------|------------|---------------|-------------|--------------|------------|---------------|-------------|
| | <i>Total</i> | | <i>Female</i> | <i>Male</i> | <i>Total</i> | | <i>Female</i> | <i>Male</i> | <i>Total</i> | | <i>Female</i> | <i>Male</i> |
| | <i>%</i> | <i>No.</i> | | | <i>%</i> | <i>No.</i> | | | <i>%</i> | <i>No.</i> | | |
| January | 8.3 | 78 | 37 | 41 | 12.9 | 9 | 3 | 6 | 8.0 | 69 | 34 | 35 |
| February | 7.6 | 71 | 28 | 43 | 11.4 | 8 | 5 | 3 | 7.3 | 63 | 23 | 40 |
| March | 8.4 | 79 | 40 | 39 | 10.0 | 7 | 3 | 4 | 8.3 | 72 | 37 | 35 |
| April | 6.7 | 63 | 26 | 37 | 8.6 | 6 | 4 | 2 | 6.6 | 57 | 22 | 35 |
| May | 8.0 | 75 | 40 | 35 | 2.9 | 2 | 1 | 1 | 8.4 | 73 | 39 | 34 |
| June | 9.6 | 90 | 45 | 45 | 2.9 | 2 | - | 2 | 10.1 | 88 | 45 | 43 |
| July | 8.6 | 81 | 36 | 45 | 10.0 | 7 | 2 | 5 | 8.5 | 74 | 34 | 40 |
| August | 9.0 | 84 | 37 | 47 | 2.9 | 2 | - | 2 | 9.5 | 82 | 37 | 45 |
| September | 8.2 | 77 | 39 | 38 | 7.1 | 5 | 4 | 1 | 8.3 | 72 | 35 | 37 |
| October | 7.8 | 73 | 33 | 40 | 10.0 | 7 | 4 | 3 | 7.6 | 66 | 29 | 37 |
| November | 8.5 | 80 | 34 | 46 | 10.0 | 7 | 4 | 3 | 8.4 | 73 | 30 | 43 |
| December | 9.2 | 86 | 32 | 54 | 11.4 | 8 | 2 | 6 | 9.0 | 78 | 30 | 48 |
| Total | 100.0 | 937 | 427 | 510 | 100.0 | 70 | 32 | 38 | 100.0 | 867 | 395 | 472 |

Table 9.22
2005
Discharges from Special Care Baby Unit by Geographical Region 2005

| <i>Region</i> | <i>Total</i> | | | <i>Non-Bahraini</i> | | | <i>Bahraini</i> | | |
|---------------|--------------|---------------|-------------|---------------------|---------------|-------------|-----------------|---------------|-------------|
| | <i>Total</i> | <i>Female</i> | <i>Male</i> | <i>Total</i> | <i>Female</i> | <i>Male</i> | <i>Total</i> | <i>Female</i> | <i>Male</i> |
| Hidd | 32 | 17 | 15 | 2 | 1 | 1 | 30 | 16 | 14 |
| Muharraq | 152 | 66 | 86 | 27 | 12 | 15 | 125 | 54 | 71 |
| Manama | 198 | 96 | 102 | 84 | 35 | 49 | 114 | 61 | 53 |
| Jidhafs | 82 | 31 | 51 | 3 | - | 3 | 79 | 31 | 48 |
| Northern | 83 | 42 | 41 | 4 | 2 | 2 | 79 | 40 | 39 |
| Sitra | 63 | 27 | 36 | - | - | - | 63 | 27 | 36 |
| Central | 82 | 32 | 50 | 7 | 5 | 2 | 75 | 27 | 48 |
| Isa Town | 62 | 32 | 30 | 6 | 2 | 4 | 56 | 30 | 26 |
| Riffa | 54 | 26 | 28 | 20 | 9 | 11 | 34 | 17 | 17 |
| Western | 51 | 22 | 29 | 2 | - | 2 | 49 | 22 | 27 |
| Southern | 3 | 2 | 1 | 3 | 2 | 1 | - | - | - |
| Hamad Town | 68 | 31 | 37 | 9 | 5 | 4 | 59 | 26 | 33 |
| Undetermined | 7 | 3 | 4 | 6 | 3 | 3 | 1 | - | 1 |
| Total | 937 | 427 | 510 | 173 | 76 | 97 | 764 | 351 | 413 |

Table 9.23

2005 - 2001

Surgical Operations and Procedures at Main Operation Theatre by Specialty 2001-2005

| <i>Speciality</i> | <i>2005</i> | <i>2004</i> | <i>2003</i> | <i>2002</i> | <i>2001</i> | |
|--|---------------|---------------|---------------|---------------|---------------|-------|
| General Surgery | 6,734 | 6,350 | 6,697 | 7,014 | 6,966 | |
| Orthopaedic Surgery and Fracture | 3,834 | 3,572 | 3,166 | 2,913 | 3,003 | |
| Surgical Operations of Lung and Vascular | 534 | 386 | 490 | 501 | 432 | |
| Neurology Surgery | 193 | 214 | 224 | 204 | 265 | |
| Urology Surgery | 1,646 | 1,581 | 1,641 | 1,965 | 1,865 | |
| Pediatrics Surgery | 1,277 | 1,482 | 1,403 | 1,575 | 1,326 | |
| Plastic Surgery and Burns | 891 | 862 | 758 | 538 | 504 | |
| Dental & Maxillofacial Surgery | 830 | 717 | 738 | 737 | 585 | |
| Ophthalmology Surgery | 918 | 1,067 | 1,074 | 1,068 | 1,122 | |
| Ear, Nose & Throat Surgery | 2,283 | 2,287 | 2,355 | 2,458 | 2,394 | |
| Gyneacology Surgery | 2,664 | 2,706 | 2,580 | 2,928 | 2,690 | |
| Obstetrics (Caesarean) * | 240 | 347 | 611 | 1,553 | 1,298 | * () |
| Oncology | 24 | 14 | 15 | 4 | 9 | |
| Kidney Transplant | 6 | NA | 8 | 6 | 8 | |
| Total | 22,074 | 21,585 | 21,760 | 23,464 | 22,467 | |
| Deaths | 4 | 5 | 6 | 5 | 2 | |

* *Obstetrics (Caesarean): data only include emergency cases, other cases are done at Labour room (Ward 308).*

: () *

. (308)

Table 9.24
2005-2001
Endoscopies Procedures 2001-2005

| <i>Description</i> | <i>2005</i> | | <i>2004</i> | | <i>2003</i> | | <i>2002</i> | | <i>2001</i> | | |
|---------------------------|----------------|-----------------|----------------|-----------------|----------------|-----------------|----------------|-----------------|----------------|-----------------|---|
| | <i>Medical</i> | <i>Surgical</i> | |
| Gastroscopy | 914 | 234 | 876 | 197 | 901 | 284 | 1,096 | 213 | 204 | 309 | |
| Colonoscopy | 228 | 123 | 236 | 91 | 264 | 82 | 241 | 81 | 255 | 81 | |
| Gastroscopy - Colonoscopy | 117 | 40 | 91 | 29 | 112 | 31 | 126 | 36 | 110 | 32 | - |
| ERCP | 153 | - | 136 | - | 114 | - | 119 | - | 106 | 5 | |
| Bronchoscopy | 150 | - | 171 | - | 109 | - | 149 | - | 172 | - | |
| Others | 22 | - | 47 | - | 104 | - | 116 | - | 1,012 | - | |
| Total | 1,584 | 397 | 1,557 | 317 | 1,604 | 397 | 1,847 | 330 | 1,859 | 427 | |